

Applicant's Publication

Publications of interest

Patent Bibliographic Files

? show files

[File 2] INSPEC 1898-2008/Feb W1

(c) 2008 Institution of Electrical Engineers. All rights reserved.

[File 35] Dissertation Abs Online 1861-2008/Nov

(c) 2008 ProQuest Info&Learning. All rights reserved.

[File 65] Inside Conferences 1993-2008/Mar 05

(c) 2008 BLDSC all rts. reserv. All rights reserved.

[File 99] Wilson Appl. Sci & Tech Abs 1983-2008/Jan

(c) 2008 The HW Wilson Co. All rights reserved.

[File 256] TecInfoSource 82-2008/Apr

(c) 2008 Info.Sources Inc. All rights reserved.

[File 474] New York Times Abs 1969-2008/Mar 06

(c) 2008 The New York Times. All rights reserved.

[File 475] Wall Street Journal Abs 1973-2008/Mar 06

(c) 2008 The New York Times. All rights reserved.

[File 583] Gale Group Globalbase(TM) 1986-2002/Dec 13

(c) 2002 The Gale Group. All rights reserved.

**File 583: This file is no longer updating as of 12-13-2002.*

[File 23] CSA Technology Research Database 1963-2008/Jan

(c) 2008 CSA. All rights reserved.

[File 139] EconLit 1969-2008/Feb

(c) 2008 American Economic Association. All rights reserved.

[File 56] Computer and Information Systems Abstracts 1966-2008/Jan

(c) 2008 CSA. All rights reserved.

[File 344] Chinese Patents Abs Jan 1985-2006/Jan

(c) 2006 European Patent Office. All rights reserved.

[File 347] JAPIO Dec 1976-2007/Oct(Updated 080129)

(c) 2008 JPO & JAPIO. All rights reserved.

[File 350] Derwent WPIX 1963-2008/UD=200812

(c) 2008 The Thomson Corporation. All rights reserved.

[File 371] French Patents 1961-2002/BOPI 200209

(c) 2002 INPI. All rts. reserv. All rights reserved.

; d s

Set	Items	Description
S1	41326	S (VERIF??? OR VERIFICATION? ? OR VALIDAT??? OR VALIDATION OR AUTHENTICAT? OR CONFIRM?) (3N) (CUSTOMER? ? OR USER? ? OR CONSUMER? ? OR CUSTOMER? ? OR PARTICIPANT? ?)
S2	2631	S S1(7N) (FINANC?())INSTRUMENT OPTION? ? OR FUTURE? ? OR FUND? ? OR STOCK? ? OR BOND? ? OR SHARE? ? OR COMMODIT??? OR MONEY OR SECURIT??? OR

(EQUITIES OR EQUITY) (MARKET? ? OR TRADE?? OR TRADING OR INVESTMENT? ? OR INVEST???)

S3 55646 S (ALLOW??? OR ALLOWING OR ALLOWANCE OR PERMISSION OR PERMIT? OR APPROV??? OR AUTHORIZATION OR ACCEPT? OR PERMIT? OR GRANT??? OR AUTHORI???) (3N) (FINANC?()) INSTRUMENT OPTION? ? OR FUTURE? ? OR FUND? ? OR STOCK? ? OR BOND? ? OR SHARE? ? OR COMMODIT??? OR MONEY OR SECURIT??? OR (EQUITIES OR EQUITY) (MARKET? ? OR TRADE?? OR TRADING OR INVESTMENT? ? OR INVEST???)

S4 74432 S (START??? OR BEGIN? OR INITIAT??? OR ACTIVAT??? OR ORIGINAT???) (3N) (ORDER? ? OR DEALING? ? OR TRADE? ? OR TRADING OR TRANSACTION? ? OR PURCHAS??? OR EXCHANG??? OR DEAL? ? OR SELL??? OR SALE? ? OR TRANSFER? OR BUY???)

S5 2426875 S (CUSTOMER? ? OR USER? ? OR CONSUMER? ? OR CUSTOMER? ? OR PARTICIPANT? ?)

S6 17134 S (PROPOGAL? ? OR SUBMISSION? ? OR BID OR BIDS OR OFFER? ? OR PROFFER? ? OR TENDER? ?) (3N) (PARAMETER? ? OR VALUE? ? OR ATTRIBUTE?? OR FACTOR? ? OR ELEMENT? ? OR CONDITION? ?)

S7 99751 S USER()INTERFACE

S8 35551 S (EXCHANG??? OR INTERCHANG??? OR INTER()CHANG???) (3N) (COMMUNICATION OR TRANSMISSION OR TRANSACTION OR TRAD???)

S9 1205746 S (MATCH?? OR CORRESPOND? OR CORRELAT??? OR CONFORM OR ASSOCIAT??? OR MAPP??? OR LINK??? OR COUPL??? OR JOIN??? OR RELAT?? OR RELATIONSHIP? ? OR INTERRELAT?? OR INTERCONNECT??? OR CONNECT??? OR INTERDEPEND? OR INTERACTION OR AFFILIATION? OR ASSOCIATION? OR RELAT???) (3N) (PARAMETER? ? OR VALUE? ? OR ATTRIBUTE?? OR FACTOR? ? OR ELEMENT? ? OR CONDITION? ?)

S10 859 S AU=(TEMPLETON, J? OR TEMPLETON J? OR TEMPLETON(2N)J? OR BHARGAVA, S? OR BHARGAVA S? OR BHARGAVA(2N)S?)

S11 1 S S10 AND S1

S12 304 S S2 AND S3

S13 12 S S12 AND S4

S14 2 S S12 AND S6

S15 2 S S14 NOT S13

S16 19 S S12 AND S7

S17 17 S S16 NOT (S11 OR S13 OR S15)

S18 5 S S12 AND S8

S19 5 S S18 NOT (S11 OR S13 OR S14 OR S17)

S20 22 S S12 AND S9

S21 18 S S20 NOT (S11 OR S13 OR S14 OR S17 OR S19)

?

[t /3,k/a1](#)

11/3,K/1 (Item 1 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0011191852 & *Drawing available*

WPI Acc no: 2002-130046/200217

XRPX Acc No: N2002-098091

Customer authentication method for online financial transaction, involves comparing selected attributes with stored attributes of transactions, to accept use of money card
 Patent Assignee: BHARGAVA S (BHAR-I); PAYPAL INC (PAYP-N); TEMPLETON J E (TEMP-I)

Inventor: BHARGAVA S; TEMPLETON J; TEMPLETON J E

Patent Family (7 patents, 95 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020004772	A1	20020110	US 2000217202	P	20000710	200217	B
			US 2000217243	P	20000710		
			US 2001901954	A	20010710		
WO 2002005224	A2	20020117	WO 2001US21725	A	20010710	200217	F
AU 200171968	A	20020121	AU 200171968	A	20010710	200234	E
KR 2003019560	A	20030306	KR 2003700284	A	20030109	200345	E
EP 1356438	A2	20031029	EP 2001951030	A	20010710	200379	E
			WO 2001US21725	A	20010710		
JP 2004519748	W	20040702	WO 2001US21725	A	20010710	200443	E
			JP 2002508754	A	20010710		
AU 2001271968	B2	20070315	AU 2001271968	A	20010710	200758	E

Priority Applications (no., kind, date): US 2000217202 P 20000710; US 2000217243 P 20000710; US 2001901954 A 20010710

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes
US 20020004772	A1	EN	8	2	Related to Provisional US 2000217202
					Related to Provisional US 2000217243
WO 2002005224	A2	EN			
National Designated States, Original	AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW				
Regional Designated States, Original	AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW				
AU 200171968	A	EN			Based on OPI patent WO 2002005224
EP 1356438	A2	EN			PCT Application WO 2001US21725
					Based on OPI patent WO 2002005224
Regional Designated States, Original	AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR				
JP 2004519748	W	JA	36		PCT Application WO 2001US21725
					Based on OPI patent WO 2002005224
AU 2001271968	B2	EN			Based on OPI patent WO 2002005224

Customer authentication method for online financial transaction, involves comparing selected attributes with stored attributes of transactions, to... Inventor: BHARGAVA S... TEMPLETON J... TEMPLETON J E Alerting Abstract ... Recorded medium storing customer authentication program; User authentication system; Credit card verification method; Bank account verification method; Customer authentication apparatus.....

DESCRIPTION OF DRAWINGS - The figure shows the block diagram of user authentication system... Original Publication Data by AuthorityInventor name & address:BHARGAVA S... ..TEMPLETON J... ..TEMPLETON, James... ..BHARGAVA, Sanjay... ..Templeton, James E... ..Bhargava, Sanjay... ..TEMPLETON, James... ..BHARGAVA, Sanjay

? [13/3,k/a11](#)

13/3,K/1 (Item 1 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014381214 & *Drawing available*

WPI Acc no: 2004-570263/200455

Related WPI Acc No: 2004-255856

XRPX Acc No: N2004-451029

Authorized person identifying apparatus for instrument e.g. electronic financial account system, has personalized authenticated controller unit with communication unit for authenticating identity of person to perform action

Patent Assignee: NORRIS C B (NORR-I)

Inventor: NORRIS C B

Patent Family (2 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20040139348	A1	20040715	US 2000498140	A	20000204	200455	B
			US 2003743666	A	20031222		
US 6957771	B2	20051025	US 2003743666	A	20031222	200570	E

Priority Applications (no., kind, date): US 2000498140 A 20000204; US 2003743666 A 20031222

Patent Details

Patent Number	Kind	Ln	Pgs	Draw	Filing Notes
US 20040139348	A1	EN	32	21	Continuation of application
					Continuation of patent
					US 2000498140
					US 6695207

Original Titles: System for secure, identity authenticated, and immediate financial transactions as well as activation of varied instrumentalities... ..System for secure, identity authenticated, and immediate financial transactions as well as activation of varied instrumentalities Original Publication Data by Authority...Original Abstracts: the customer's PAC to establish positive personal identification and optionally charge purchases or transfer funds. Various security features are incorporated to ensure authentication of the customer and integrity of the transaction. One security feature is that an user-worn PAC immediately senses removal from an authorized person's body, which cancels authentication... .. the

customer's PAC to establish positive personal identification and optionally charge purchases or transfer funds. Various security features are incorporated to ensure authentication of the customer and integrity of the transaction. One security feature is that an user-worn PAC immediately senses removal from an authorized person's body, which cancels authentication and also renders the PAC itself useless if stolen.

13/3,K/2 (Item 2 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014372014 & *Drawing available*

WPI Acc no: 2004-560860/200454

XXPX Acc No: N2004-443779

Currency dispense and control system for merchants, has control system with user authentication system comparing personal identification code with master list, and report-generating system printing dispenses of on-site currency

Patent Assignee: BOSCH J H (BOSC-I); BOSCH S H (BOSC-I); PEREGRIN

TECHNOLOGIES INC (PERE-N)

Inventor: BOSCH J H; BOSCH S H

Patent Family (5 patents, 106 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20040133495	A1	20040708	US 2002433906	P	20021216	200454	B
			US 2003738696	A	20031216		
WO 2004059553	A1	20040715	WO 2003US40288	A	20031216	200454	E
AU 2003297322	A1	20040722	AU 2003297322	A	20031216	200476	E
EP 1573631	A1	20050914	EP 2003814137	A	20031216	200560	E
			WO 2003US40288	A	20031216		
ZA 200504433	A	20060329	ZA 20054433	A	20050531	200637	E

Priority Applications (no., kind, date): US 2002433906 P 20021216; US 2003738696 A 20031216

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
US 20040133495	A1	EN	11	3	Related to Provisional	US 2002433906
WO 2004059553	A1	EN				
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW					
Regional Designated States,Original	AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW					

AU 2003297322	A1	EN		Based on OPI patent	WO 2004059553
EP 1573631	A1	EN		PCT Application	WO 2003US40288
				Based on OPI patent	WO 2004059553
Regional Designated States,Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR				
ZA 200504433	A	EN	25		

Alerting Abstract ...USE - Used by merchants for performing both traditional automated teller machine (ATM) transactions and merchant-initiated currency control transactions. Original Publication Data by Authority...Original Abstracts:merchant-approved employee to withdraw cash from the CDCS 10 independent of a standard ATM electronic fund transfer (EFT) network. The CDCS may also include the following functionalities: a duress dispensation system that allows the CDCS 10 to activate an alarm and/or otherwise communicate with local police or security services during a robbery, a time-release system that effects a time-delayed dispensation functionality, and a user identification and authentication system for authenticating a user identity and determining eligibility of the user to access the...

13/3,K/3 (Item 3 from file: 350) [Links](#)
Fulltext available through: [Order File History](#)
Derwent WPIX
(c) 2008 The Thomson Corporation. All rights reserved.

0014202931 & *Drawing available*
WPI Acc no: 2004-388536/200436
Related WPI Acc No: 2004-031027; 2004-224811; 2004-225631; 2004-388535; 2004-388537; 2004-388538
XRPX Acc No: N2004-309335
Remote monitoring of premises of building, involves activating a signal at the premises in order to notify the occupant of premises that remote monitoring is occurring
Patent Assignee: FELDKAMP G E (FELD-I); GLASGOW W P (GLAS-I); NAIDOO S N (NAID-I); @SECURITY BROADBAND CORP (SECU-N)
Inventor: FELDKAMP G E; GLASGOW W P; NAIDOO S N

Patent Family (2 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20040086089	A1	20040506	US 200261959	A	20020201	200436	B
			US 2003607785	A	20030626		
US 7120232	B2	20061010	US 2003607785	A	20030626	200667	E

Priority Applications (no., kind, date): US 200261959 A 20020201; US 2003607785 A 20030626

Patent Details					
Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20040086089	A1	EN	19	5	Division of application
					US 200261959
					Division of patent
					US 6658091

Alerting Abstract ... ADVANTAGE - Provides security of the premises, and can address privacy concerns of occupants. Allows users of security system to conveniently access the system remotely. Improves convenience of communication between remote user and premises, thus allowing the owner of the premises... Original Publication Data by Authority...Original Abstracts:of a premises, comprising the steps of operatively coupling a geographically remote client to a security system server which is capable of authenticating a user of the remote client, operatively coupling the remote client to a security gateway which is capable of managing the monitoring of the premises, activating a signal at... for remote monitoring of a premises. A geographically remote client is operatively coupled to a security system server capable of authenticating a user of the remote client. The remote client is then operably coupled to a security gateway capable of managing the monitoring of the premises, activating a signal at the premises... ..Claims:comprising the steps of:operatively coupling a remote client to a security system server, said security system server being capable of authenticating a user of said remote client;operatively coupling said remote client to a security gateway, said security gateway being capable of managing the monitoring of one or more portions... .. premises, said method comprising: operatively coupling a remote client to a security system server, said security system server being capable of authenticating a user of said remote client;operatively coupling said remote client to a security gateway, said security gateway being capable of managing the monitoring of one or more portions of said premises;said operative coupling of said remote client to said security gateway further... .. said security system server verifying the identity of said user of said remote client;transmitting authorization information from said security system server to said remote client and from said security system server to said security gateway, said authorization information transmitted to said remote client including access permissions for said user;said remote client using said authorization information received thereby to initiate operative coupling with said security gateway;said security gateway using said authorization information received from said security system server and said authorization information received from said remote client to complete operative coupling between said security gateway and said remote client;said security system server initiating generation of a signal at said premises for notifying an occupant at said premises that remote monitoring is occurring; andtransferring... .. said remote client;wherein said security gateway generates said signal whenever said security gateway is transferring information to said remote client;wherein said user is at a location which is geographically remote from said premises;wherein access to said security gateway by said remote client is allowed based upon said access permissions for said user;wherein said access permissions for said user...

13/3,K/4 (Item 4 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013137422 & & Drawing available

WPI Acc no: 2003-219687/200321

Related WPI Acc No: 2002-240336; 2002-360431

XRPX Acc No: N2003-175150

Multilevel computer security system selects component of security subsystem when security level represented in the activation signal corresponds with security level of subsystem

Patent Assignee: FLYNTZ T T (FLYN-I)

Inventor: FLYNTZ T T

Patent Family (2 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020147924	A1	20021010	US 1999427445	A	19991027	200321	B
			US 2000563452	A	20000503		
			US 200294590	A	20020308		
US 6643783	B2	20031104	US 200294590	A	20020308	200374	E

Priority Applications (no., kind, date): US 1999427445 A 19991027; US 2000563452 A 20000503; US 200294590 A 20020308

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
US 20020147924	A1	EN	16	4	C-I-P of application	US 1999427445
					C-I-P of application	US 2000563452
					C-I-P of patent	US 6351817
					C-I-P of patent	US 6389542

Original Publication Data by Authority...Original Abstracts:to each security level, and an electronically-activated switch for activating only the selected and authorized security level. Access to each level of restricted data requires a user to insert his smart card into a smart-selected security level. Since only one security level is ever active and the switching from one level to another requires the computer... ..Claims:access requests and identification and authentication information from a user and correlate it with the security identification requirements and access privilege information stored within a security token possessed by the user to output an activation signal representative of the security level that will be granted to the user;sensor means that enables the transmission of the activation signal from the... .. andan electronically-activated power switching means, responsive to the electronic activation signals from an access-control means in order to select the components of a security subsystem at the granted security level of the user and connect power to only said selected components thereby isolating said powered security subsystem and the data at its designated security level from all other security subsystems... .. is receiving power from the computer-power supply;access control means comprising a micro-controller that processes access requests and identification and authentication information from a user and correlate it with the security identification requirements and access privilege information stored within a security token possessed by the user to output an activation signal representative of the

security level that will be granted to the user; sensor means that enables the transmission of the activation signal from the access control means to the electronically-activated... .. activation signals from an access-control means in order to select the components of a security subsystem at the granted security level of the user and connect power to only said selected components thereby isolating said

13/3,K/5 (Item 5 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013116416 & *Drawing available*

WPI Acc no: 2003-198091/200319

Related WPI Acc No: 2003-182412

XRPX Acc No: N2003-157358

Network-based payment method for commercial application, involves debiting purchase amount from user account and crediting to payee account, when funds is available in user account

Patent Assignee: KWAN K H (KWAN-I)

Inventor: KWAN K H

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020147658	A1	20021010	US 2001827788	A	20010409	200319	B

Priority Applications (no., kind, date): US 2001827788 A 20010409

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20020147658	A1	EN	13	4	

...transmitted account identifier or user phone number. When the password is authenticated, the availability of funds in user account is verified. The purchase amount is debited from user account and credited to payee account. An encrypted... Original Publication Data by Authority...Claims:merchant's sub account is held to record a credit entry with an amount of money equal to the payer's payment amount on the merchant's monthly telecommunication bill over... .. for decryption upon which the details of the transaction will be forwarded to the merchant originating the transaction and a copy of the decrypted text message back to the end-user where such

13/3,K/6 (Item 6 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013041166 & Drawing available

WPI Acc no: 2003-120338/200311

Related WPI Acc No: 2006-108308

XRPX Acc No: N2003-095950

Pre-boot authentication process for desktop computer, involves commencing BIOS procedure, only if valid information is transferred between inserted card and BIOS
Patent Assignee: 02MICRO INC (ZERO-N); LEE S (LEES-I); O2 MICRO INC (OTWO-N)
Inventor: LEE S

Patent Family (9 patents, 91 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020174353	A1	20021121	US 2001860709	A	20010518	200311	B
WO 2002095571	A1	20021128	WO 2002US15047	A	20020510	200311	E

Priority Applications (no., kind, date): US 2001860709 A 20010518

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
US 20020174353	A1	EN	19	19		
WO 2002095571	A1	EN				
TW 221580	B1	ZH				
GB 2391983	B	EN			PCT Application	WO 2002US15047
					Based on OPI patent	WO 2002095571

Original Publication Data by Authority...Original Abstracts:Based upon an information exchange between the security authentication module and the information module, the security authentication module controllably allows or prevents the system BIOS start-up procedure to resume and finish. In a preferred embodiment, the security authentication... authorized information module is present. In other preferred embodiments, an adaptive security authentication module interface is provided, to allow information exchange with a variety of information modules having one or more information formats. In... may be unique to one or more users. Based upon an information exchange between the security authentication module and the information module, the security authentication module controllably allows or prevents the system BIOS start-up procedure to resume and finish. In a preferred embodiment, the security authentication module is used as a... from booting up, unless a valid authorized information module is present. In other preferred embodiments, an adaptive security authentication module interface is provided, to allow information exchange with a variety of information modules having one or more information formats. In alternate embodiments... an information exchange between the security authentication module (10) and the information module (26), the security module (10) allows or prevents the system BIOS start-up procedure to resume and finish. ...Claims:the BIOS; starting the BIOS procedure;interrupting the BIOS procedure during the interval before the finish;transferring the information between the module and the BIOS;determining if the transferred information if valid...

13/3,K/7 (Item 7 from file: 350) [Links](#)
 Fulltext available through: [Order File History](#)
 Derwent WPIX
 (c) 2008 The Thomson Corporation. All rights reserved.

0012942827 & & *Drawing available*

WPI Acc no: 2003-019536/200301

Related WPI Acc No: 2003-175051

XRPX Acc No: N2003-014970

Bio-metric credit card which employs a processor to generate a security key in response to authentication data received via the user authenticator

Patent Assignee: AUDLEM LTD (AUDL-N); MCGREGOR C M (MCGR-I); MCGREGOR D S (MCGR-I); MCGREGOR T M (MCGR-I)

Inventor: MCGREGOR C M; MCGREGOR D S; MCGREGOR T M

Patent Family (7 patents, 98 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2002088931	A1	20021107	WO 2002US13262	A	20020426	200301	B
US 20020158747	A1	20021031	US 2001843572	A	20010426	200301	E
US 20020180584	A1	20021205	US 2001843572	A	20010426	200301	E

Priority Applications (no., kind, date): US 2004940920 A 20040914; US 2001843572 A 20010426; US 200140156 A 20011219

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes	
WO 2002088931	A1	EN	40	14		
US 20020180584	A1	EN			C-I-P of application	US 2001843572
AU 2002308485	A1	EN			Based on OPI patent	WO 2002088931
US 20050029349	A1	EN			Division of application	US 2001843572
					Division of patent	US 6816058
US 6954133	B2	EN			C-I-P of application	US 2001843572

...events. A processor generates a security key in response to authentication data received via the user authenticator. The security key is derived in part from the contents of the counter. Original Publication Data by Authority...Original Abstracts: A system for increasing transaction security across existing infrastructure is provided. An activation mechanism sends an activation signal or a signal providing a PIN and/or other data to a processing device.... Claims: electrical communication with the user authenticator and counter, the processor being programmed to generate a security key in response to authentication data received via the user authenticator, the security key being derived at least in part from the contents of the counter; a display unit to display the security key on the apparatus... transaction counting mechanism configured to track authorized device access events; a processor device in electrical communication with the user authenticator and counter, the processor being programmed to generate a security key in response to authentication data

received via the user authenticator, the security key being derived at least in part from the contents of the counter; and... .. configured to display the security key on the apparatus.... .. a security key in response to the bio-metric authorization authentication data received via the user authenticator, the security key being derived at least in part from the contents of the counter and at... .. from the user's bio-metric authentication data; and a display unit to display the security key on the apparatus.... .. 1. A system for securely processing transactions, the system comprising: a security key device, comprising, a user authenticator configured to provide a user an authentication data input for proving the user is authorized to use an account associated with the security device, a first counter in communication with the user data received via the user authenticator, the security key being derived at least in part from contents of the first counter, and an electronic display in electrical communication with the key generator, for displaying the security key in a manner visible upon the structure; and an authorization device, comprising, a second counter, and a key confirmation processor programmed to confirm an authenticity of the security key in a manner at least partially dependent upon the contents of the second counter wherein the security key is derived at least partially from the contents of the first counter, wherein the key confirmation processor approves a transaction if the contents of the first counter matches contents of the second counter within a predetermined range.

13/3,K/8 (Item 8 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0012824400 & *Drawing available*

WPI Acc no: 2002-682099/200273

XRFX Acc No: N2002-538501

Secure communication facilitating system negotiates communication parameters with secure network site, based on security information retrieved from memory

Patent Assignee: IIT MFG ENTERPRISES INC (INTT); WRENCH E H (WREN-I)

Inventor: WRENCH E H

Patent Family (3 patents, 27 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020104025	A1	20020801	US 2000731836	A	20001208	200273	B
EP 1244266	A2	20020925	EP 2001129187	A	20011208	200273	E
US 7185197	B2	20070227	US 2000731836	A	20001208	200718	E

Priority Applications (no., kind, date): US 2000731836 A 20001208

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing	Notes
US 20020104025	A1	EN	19	7		
EP 1244266	A2	EN				
Regional Designated States, Original	AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI TR					

...NOVELTY - A security system verifies a user as an authorized system user, based on comparison of the user voice signal with prestored voice information and retrieves security information of the verified user from a memory. The communication parameters are negotiated with a secure network site, based on... Original Publication Data by Authority...Original Abstracts:an identification to the voice browser system that is transferred to and verified by the security system. Once the identification is verified, the user is prompted by the voice browser system to speak a phrase for voice verification. The...
 ... a particular authorized user associated with the identification and stored in a database. When the user is verified, the security system retrieves a user private key and certificate from the database. In response to the... ... a web site residing on a secure server, the secure server and voice browser system initiate a secure key exchange. During the key exchange, data packets containing security information are transferred from the voice browser... ... an... a particular authorized user associated with the identification and stored in a database. When the user is verified, the security system retrieves a user private key and certificate from the database. In response to the... ... a web site residing on a secure server, the secure server and voice browser system initiate a secure key exchange. During the key exchange, data packets containing security information are transferred from the voice browser... ...Claims:in response to accessing said secure network site; a storage unit to store voice and security information associated with authorized users of said system; and a security system stored voice information and to retrieve said security information of said verified user from said storage unit and negotiate communication parameters with said secure network site in response.... ... secure web server;a storage unit to store remote from said network interface voice and security information associated with authorized users of said system, wherein said security information includes information enabling negotiation of parameters for... ...

13/3,K/9 (Item 9 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0012469473 & & *Drawing available*

WPI Acc no: 2002-415838/200244

XRPX Acc No: N2002-327163

Internet-based e-commerce system, has transaction service server which transmits transaction approval information from payment server to shopping mall server and buyer, and requests payment server to make payment

Patent Assignee: BESTECH.COM CO LTD (BEST-N); BESTECHCOM CO LTD (BEST-N); SEO D (SEOD-I)

Inventor: SEO D; SEO D S

Patent Family (6 patents, 92 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2002021366	A1	20020314	WO 2001KR1529	A	20010910	200244	B
AU 200215230	A	20020322	AU 200215230	A	20010910	200251	E
			JP 2002525501	A	20010910		

Priority Applications (no., kind, date): KR 200053839 A 20000909; KR 200142678 A 20010716

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes	
WO 2002021366	A1	EN	37	6		
US 20030182245	A1	EN			PCT Application	WO 2001KR1529
JP 2004526220	W	JA	52		PCT Application	WO 2001KR1529
					Based on OPI patent	WO 2002021366

Alerting Abstract ...market place, as transaction between the buyer and the seller is safe because of the transaction service server. Activates the electronic commerce transaction. Increases the convenience of the buyer and the efficiency of the transaction... Original Publication Data by Authority...Original Abstracts:a settlement ned not be provided to the seller, where the money is settled to the shopping mall after the delivery is confirmed, thereby protecting the users, and where denial of the purchase of the user cannot happen, thereby protecting the seller. In order to accomplish... ... the settlement money when receiving a deal ending signal from the terminal. This system is buyer's initiated settlement system and can enhance safety of the deal... ... provided to the seller, where the money is settled to the shopping mall after the delivery is confirmed, thereby protecting the users, and where denial of the purchase of the user cannot happen, thereby protecting the seller... ... the settlement money when receiving a deal ending signal from the terminal. This system is buyer's initiated settlement system and can enhance safety of the deal. ...Claims:approval information data transmitted from the payment server;a temporary bank account momentarily keeping the money for the ordered product, which is transmitted from the payment server;a product transmission information...

13/3,K/10 (Item 10 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0009240489 & & Drawing available

WPI Acc no: 1999-167607/199914

XRPX Acc No: N1999-122091

Portable information and transaction processor

Patent Assignee: IBM UK LTD (IBMC); INT BUSINESS MACHINES CORP (IBMC)

Inventor: MAES S; MAES S H; SEDIVY J

Patent Family (14 patents, 25 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 1999008238	A1	19990218	WO 1998012283	A	19980730	199914	B
US 6016476	A	20000118	US 199755418	P	19970811	200011	E

			US 19988122	A	19980116		
EP 1004099	A1	20000531	EP 1998936550	A	19980730	200031	E
			WO 1998GB2283	A	19980730		
FW 385400	A	20000321	FW 1998109091	A	19980608	200053	E
DE 69828291	E	20050127	DE 69828291	A	19980730	200510	E

Priority Applications (no., kind, date): US 199755418 P 19970811; US 19988122 A 19980116

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes		
WO 1999008238	A1	EN	32	6			
JP 2001512876	W	JA	42		PCT Application	WO 1998GB2283	
					Based on OPI patent	WO 1999008238	
IL 130068	A	EN			Based on OPI patent	WO 1999008238	
					Based on OPI patent	WO 1999008238	

...Original Titles: A PORTABLE INFORMATION AND TRANSACTION PROCESSING SYSTEM AND METHOD UTILIZING BIOMETRIC AUTHORIZATION AND DIGITAL CERTIFICATE SECURITY A PORTABLE INFORMATION AND TRANSACTION PROCESSING SYSTEM AND METHOD UTILIZING BIOMETRIC AUTHORIZATION AND DIGITAL CERTIFICATE SECURITY Portable information and transaction processing system and method utilizing biometric authorization and digital certificate security. A PORTABLE INFORMATION AND TRANSACTION PROCESSING SYSTEM AND METHOD UTILIZING BIOMETRIC AUTHORIZATION AND DIGITAL CERTIFICATE SECURITY Alerting Abstract USE - Processor is for information and transactions and uses digital certificate security and biometric authorization to provide personal verification prior to processing user requested financial transactions and providing personal information at point of sale terminals or ATMs....credit card etc. and personal information for transfer to a smart card. It uses biometric security to provide user verification and has digital certificate security with the user required to periodically download a temporary digital certificate from a central server... Original Publication Data by Authority...Original Abstracts:the Universal Card is written with the selected card information, which is then used to initiate a consumer transaction. In the absence of an unexpired digital certificate, however, the selected card information will not be written to the Universal...

13/3,K/11 (Item 11 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0008907502 & *Drawing available*

WPI Acc no: 1998-457342/199839

Related WPI Acc No: 1997-132862

XRPX Acc No: N1998-356913

Transferring funds through communications network - by receiving data and matching with source account, recipient account and amount to be transferred, then transferring after authorisation

Patent Assignee: CITIBANK DEV CENT (CITI-N); CITIBANK NA (CITI-N); CITICORP DEV CENT (CITI-N); CITICORP DEV CENT INC (CITI-N)

Inventor: DO K; DOWING J; DOWNING J; GOODHAND N; JENNINGS H; MAINO M; PINNEL N; PINNELL N; PROFUMO M; SHAH V; THOMPSON M H

Patent Family (9 patents, 81 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 1998036368	A1	19980820	WO 1998US1566	A	19980204	199839	B
US 5825003	A	19981020	US 1995505886	A	19950724	199849	E
			US 1997795355	A	19970204		
			MX 19997206	A	19990804		

Priority Applications (no., kind, date): US 1995505886 A 19950724; US 1997795355 A 19970204; WO 1998US1566 A 19980204

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes		
WO 1998036368	A1	EN	94	17			
Regional Designated States,Original	AL AT BE CH DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI						
ZA 199800906	A	EN	93				
BR 199807556	A	PT			PCT Application		WO 1998US1566
					Based on OPI patent		WO 1998036368
AU 718278	B	EN			Previously issued patent		AU 9866486
					Based on OPI patent		WO 1998036368
MX 218144	B	ES			PCT Application		WO 1998US1566
					Based on OPI patent		WO 1998036368

Original Publication Data by AuthorityOriginal Abstracts:A system (20) and method for allowing funds to be transferred instantly to an account so that the funds are available to the beneficiary at the time... .. system also enables the user to quantify the amount to be transferred in the currency of the originating account or the currency of the receiving account, thereby maximizing the flexibility of the system.... .. various safeguards to assure that only authorized individuals have access to the accounts and the funds are immediately verifies successful completion or failure to the customer. A system and method for allowing funds to be transferred instantly to an account so that the funds are available to the beneficiary at the time they are sent, based on customer information.... .. enables the user to quantify the amount to be transferred in the currency of the originating account or the currency of the receiving account, thereby maximizing the flexibility of the system. The system further.... .. various safeguards to assure that only authorized individuals have access

to the accounts and the funds and immediately verifies successful completion or failure to the customer. ... A system (20) and method for allowing funds to be transferred instantly to an account so that the funds are available to the beneficiary at the time they are sent, based on customer information which can be...Claims:the destination account; and subsequent to receiving authorization to implement the requested transfer, depositing the funds to be transferred into a transfer holding account which is then processed through a clearing system local...

13/3,K/12 (Item 12 from file: 350) [Links](#)

Fulltext available through: [Order File History](#).

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0008038823 & & *Drawing available*

WPI Acc no: 1997-132862/199712

Related WPI Acc No: 1998-457342

XRPX Acc No: N1997-109643

Automated fund transfer method for transferring funds between accounts - transferring funds to account based on customer information which can be automatically accessed by system

Patent Assignee: CITIBANK NA (CITI-N)

Inventor: DO K; DOWNING J; GOODHAND N; JENNINGS H; MAINO M; PINNELL N; PROFUMO M; SHAH V; THOMPSON M H

Patent Family (15 patents, 64 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 1997004411	A1	19970206	WO 1996US12132	A	19960723	199712	B
AU 199665951	A	19970218	AU 199665951	A	19960723	199723	E
ZA 199606284	A	19970430	ZA 19966284	A	19960724	199723	E
US 5659165	A	19970819	US 1995505886	A	19950724	199739	E
KR 423371	B	20040612	WO 1996US12132	A	19960723	200467	E
			KR 1998700538	A	19980123		

Priority Applications (no., kind, date): US 1995505886 A 19950724; WO 1996US12132 A 19960723

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes		
WO 1997004411	A1	EN	90				
National Designated States,Original	AM AT AU BB BG BR BY CA CH CN CZ DE DK EE ES FI GB GE HU JP KE KG KP KR KZ LK LR LT LU LV MD MG MN MW MX NO NZ PL PT RO RU SD SE SI SK TJ TT UA UZ VN						
					Based on OPI patent		
KR 1999035877	A	KO		16	PCT Application		
					Based on OPI patent		
HU 221354	B1	HU			PCT Application		
					Based on OPI patent		

IL 123021	A	EN			
MX 210653	B	ES		PCT Application	WO 1996US12132
KR 423371	B	KO		PCT Application	WO 1996US12132
				Previously issued patent	KR 99035877
				Based on OPI patent	WO 1997004411

Alerting Abstract ...ADVANTAGE - Enables user to quantify amount to be transferred in currency of originating account or of receiving account, to maximise system flexibility. Original Publication Data by AuthorityOriginal Abstracts: A system (20) and method for allowing funds to be transferred (28) instantly to an account (30) so that the funds are available to the beneficiary at... .. 20) also enables the user to quantify the amount to be transferred in the currency of the originating account or the currency of the receiving account. Further, the system (20) is provided with... .. safeguards to assured that only authorized individuals have access to the accounts (32) and the funds and immediately verifies successful completion or failure to the customer. A system and method for allowing funds to be transferred instantly to an account so that the funds are available to the beneficiary at the time they are sent, based on customer information... .. enables the user to quantify the amount to be transferred in the currency of the originating account or the currency of the receiving account, thereby maximizing the flexibility of the system. The system further... .. various safeguards to assure that only authorized individuals have access to the accounts and the funds and immediately verifies successful completion or failure to the customer. A system (20) and method for allowing funds to be transferred (28) instantly to an account (30) so that the funds are available to the beneficiary at the time they are sent, based on customer information (24)... .. safeguards to assured that only authorized individuals have access to the accounts (32) and the funds and immediately verifies successful completion or failure to the customer.

? t /3,k/all

15/3,K/1 (Item 1 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0015900039 & *Drawing available*

WPI Acc no: 2006-431677/200644

XRPX Acc No: N2006-354569

Operating method for online shop involves sending order confirmation to customer after accepting bid price if bid price exceeds determined lowest acceptable price

Patent Assignee: SCHNEIDER M R (SCHN-I)

Inventor: SCHNEIDER M R

Patent Family (2 patents, 32 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20050114223	A1	20050526	US 2003720384	A	20031125	200644	B
EP 1536353	A1	20050601	EP 200327418	A	20031127	200644	NCE

Priority Applications (no., kind, date): US 2003720384 A 20031125; EP 200327418 A 20031127

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing	Notes
US 20050114223	A1	EN	11	3		
EP 1536353	A1	EN				
Regional Designated States, Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR					

Alerting Abstract ... specific and customized set of vending parameters. Ensures that estimates cover true costs or that bid price does not cover true cost... Original Publication Data by Authority...Original Abstracts:history data and accepting said bid price (24), if said bid price exceeds said determined lowest acceptable price; and sending a confirmation for said order (28). ...Claims:price (22) for the present customer-order combination, on the basis of at least available stock data and available customer-history data;accepting said bid price, if said bid price exceeds said determined lowest acceptable price; andsending a confirmation (28) for said order to said customer...

15/3,K/2 (Item 2 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0012989356 & & *Drawing available*

WPI Acc no: 2003-067083/200306

XRPX Acc No: N2003-052063

Broadband service provision system records events occurring between user terminal and remote service, upon redirecting user terminal to access remote service, based on stored service data and user data

Patent Assignee: AZARINA Y (AZAR-I); GOSHEN E (GOSH-I); KUSHNIRSKY I (KUSH-I); LEVANON D (LEVA-I)

Inventor: AZARINA Y; GOSHEN E; KUSHNIRSKY I; LEVANON D

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020133722	A1	20020919	US 2001812069	A	20010319	200306	B

Priority Applications (no., kind, date): US 2001812069 A 20010319

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes
US 20020133722	A1	EN	13	5	

Alerting Abstract ... users without significant interfacing and development by the service providers. Enables broadband access providers to offer value-added services to the end user in a scalable end-to-end solution. The broadband system acts as a middle ware platform or portal by providing the necessary security, authorization, authentication and accounting facilities to the services required without requiring integration with the user interface, by recording without requiring integration with the user interface, by recording the events occurring...

? t /3,k/all

17/3,K/1 (Item 1 from file: 23) [Links](#)

CSA Technology Research Database

(c) 2008 CSA. All rights reserved.

0004430866 IP Accession No: N94-22537

Recommendations for a service framework to access astronomical archives (Abstract Only)

TRAVISANO, J J; POLLIZZI, J Space Telescope Science Inst., Baltimore, MD.

[TRAVISANO]

Publication Date: 1992

Conference:

NASA, Washington, Second Annual Conference on Astronomical Data Analysis Software and Systems. Abstracts p 106 (SEE N94-22438 05-89) , UNITED STATES

Document Type: Conference Paper

Record Type: Abstract

Language: ENGLISH

File Segment: Aerospace & High Technology

Abstract:

...etc.; Interoperability - transaction/message protocols, distributed processing mechanisms (DCE, ONC/SunRPC, etc), networking protocols, etc.; Security - user registration, authorization/ authentication mechanisms, etc.; Service Directory - service registration, lookup, port/task mapping, parameters, etc.; Software - public vs... ..working in many of these areas. In the process of developing StarView, which is the user interface to the Space Telescope Data Archive and Distribution Service (ST-DADS), these issues and the...

17/3,K/2 (Item 1 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0016842381 & *Drawing available*

WPI Acc no: 2007-557443/200754

XRPX Acc No: N2007-429514

User directed network interaction monitoring providing method for use with voice-capable system, involves receiving user-defined designation during monitored network interaction, where user-defined designations designates data

Patent Assignee: JUNG E K Y (JUNG-I); LEVIEN R A (LEVI-I); LORD R W (LORD-I); MALAMUD M A (MALA-I); RINALDO J D (RINA-I)

Inventor: JUNG E K Y; LEVIEN R A; LORD R W; MALAMUD M A; RINALDO J D

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20070101402	A1	20070503	US 2005263575	A	20051031	200754	B

Priority Applications (no., kind, date): US 2005263575 A 20051031

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes
US 20070101402	A1	EN	19	5	

Alerting Abstract ... a computing system comprising a secure user interface application a computer program product comprising instructions to perform user directed network interaction monitoring providing... .. utilizes VIVO technology, thus increasing the number of security systems reliant on voice commands and allowing the users without security risks to present with voice related systems... Original Publication Data by Authority...Claims: A method for use with a voice-capable system, the voice-capable system including a security interface for authenticating a user to the voice-capable system, the method comprising:receiving a request from a user computationally...

17/3,K/3 (Item 2 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0016559532 & *Drawing available*

WPI Acc no: 2007-274470/200727

XRPX Acc No: N2007-204146

Universal security management system for e.g. mobile communication network, has function entities in divided security domains of network, where each domain includes gateway adapting interface of entities to universal interface

Patent Assignee: HUAWAI TECHNOLOGIES CO LTD (HUAW-N)

Inventor: YANG B; YANG BO S H A

Patent Family (4 patents, 115 & countries)

Patent Number	Kind	Date	Application	Kind	Date	Update	Type
---------------	------	------	-------------	------	------	--------	------

			Number				
EP 1746764	A2	20070124	EP 200615237	A	20060721	200727	B
US 20070022470	A1	20070125	US 2006489932	A	20060720	200727	E
WO 2007009350	A1	20070125	WO 2006CN1623	A	20060710	200727	E
CN 1889452	A	20070103	CN 200510036123	A	20050721	200731	E

Priority Applications (no., kind, date): CN 200510036123 A 20050721

Patent Details							
Patent Number	Kind	Lan	Pgs	Draw	Filing	Notes	
EP 1746764	A2	EN	17	8			
Regional Designated States,Original	AL AT BA BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK NL PL PT RO SE SI SK TR YU						
WO 2007009350	A1	ZH					
Regional Designated States,Original	AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IS IT KE LS LT LU LV MC MW MZ NA NL OA PL PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW						

Alerting Abstract ...210) of the entities to a universal security management interface (USMI) (150) provided by a security management center (SMC) (110). The SMC manages user, authorization and identity verification information of the network, interacts with the entities through the SMGs and with an administrator through a security management user interface (SMUI) (120). ... user management of a universal security management system for network management a method for user authorization of a universal security management system a method for user verification of a universal security management system... ... mobile communication network, that is constituted by network devices provided by various manufacturers, for authorization, user verification, access control and security logging of I entities.... ... security domain to a universal security management interface. Moreover, there is provided a security management user interface to the security administrator. The security management system of the present invention runs through four work flows, i.e., user management, user authorization, user verification, and user authentication. Both the security management gateway and the function entities are logical entities.... ... security manager. The universal security management system is implemented by four steps of user management, user authorization, user authentication and user identification. The security management gateway and functional entity are logic entities...

17/3,K/4 (Item 3 from file: 350) [Links](#)
Fulltext available through: [Order File History](#).
Derwent WPIX
(c) 2008 The Thomson Corporation. All rights reserved.

0014825686 & & *Drawing available*
WPI Acc no: 2005-173376/200519

XRPX Acc No: N2005-144548

Contact authentication management and display method in peer-to-peer collaboration system, involves displaying display names equivalent to selected name displayed with conflict indicator and resolving conflict between conflicting names

Patent Assignee: GROOVE NETWORKS INC (GROO-N)

Inventor: ASTHAGIRI N; COTE M; DAI W; EVDOKIMOV A; MOROMISATO G P; OZZIE R E; WEISS A

Patent Family (3 patents, 35 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
CA 2473062	A1	20050131	CA 2473062	A	20040706	200519	B
EP 1513314	A2	20050309	EP 200418074	A	20040730	200519	E
JP 2005327234	A	20051124	JP 2004221235	A	20040729	200577	E

Priority Applications (no., kind, date): US 2003631206 A 20030731

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing	Notes
CA 2473062	A1	EN	65	12		
EP 1513314	A2	EN				
Regional Designated States,Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IT LI LT LU LV MC MK NL PL PT RO SE SI SK TR					
JP 2005327234	A	JA	35			

Alerting Abstract ... ADVANTAGE - Maintains proper user-to-data associations across multiple devices by a simplified and minimal user interface that permits user to easily authenticate other members of a shared space and to encrypt information. Disallows communication with individuals unless their contact identity is manually authenticated or administrator-certified. Prevents confusion... Original Publication Data by Authority...Original Abstracts:created in a peer-to-peer collaborative system by means of a simplified and minimal user interface that permits users to easily authenticate other members of a shared space. In particular, support is provided for automatically building authenticated relationships even if users do not take the time to authenticate other users. When a user enters a shared space and views the contacts in that space, the display names of each contact are accompanied by distinctive icons...Claims:may have multiple identities each with an associated display name, comprising:(a) on a graphic user interface, displaying a name conflict indicator next to a first and a second display name, which display names are associated...

17/3,K/5 (Item 4 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014823481 & & *Drawing available*

WPI Acc no: 2005-171170/200518

Related WPI Acc No: 2004-578826; 2005-150696; 2005-221168

XRPX Acc No: N2005-142776

User authenticating system for providing user access to computer system, has process circuit to grant user access to computer system if security information and implicit input matches information related to user

Patent Assignee: MCKEETH J (MCKE-I)

Inventor: MCKEETH J

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20050021960	A1	20050127	US 2000511092	A	20000223	200518	B
			US 2004877782	A	20040625		

Priority Applications (no., kind, date): US 2000511092 A 20000223; US 2004877782 A 20040625

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes		
US 20050021960	A1	EN	11	4	Continuation of application	US 2000511092	
					Continuation of patent	US 6766456	

Alerting Abstract ...system has an input device to provide an implicit input to a computer system. A user interface receives security information, and a compare circuit determines whether the information and input match information... ...110 User interface Original Publication Data by AuthorityOriginal Abstracts: A method and system for authenticating a user to access a computer system. The method comprises communicating security information to the computer system, and providing the computer system with an implicit input. The... ...Claims:comprising: an input device configured to communicate an authorization pattern to an electronic device; a user interface configured to receive security information; a compare circuit coupled to the input device and configured to determine whether the authorization pattern matches a stored pattern; a timer configured to measure a duration of time between...

17/3,K/6 (Item 5 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014097634 & & *Drawing available*

WPI Acc no: 2004-281377/200426

XRPX Acc No: N2004-223032

Authorization and security management system for computer implemented system,
determines whether operation requested by user is valid based on role assigned to user
Patent Assignee: HON HAI PRECISION IND CO LTD (HONH-N); JIANG Z (JIAN-I);
LEE C (LEEC-I); YEH C (YEH-C)
Inventor: JIANG Z; LEE C; YEH C

Patent Family (2 patents, 2 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20040049677	A1	20040311	US 2002328574	A	20021223	200426	B
TW 583559	A	20040411	TW 2002120667	A	20020911	200468	E

Priority Applications (no., kind, date): TW 2002120667 A 20020911

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes
US 20040049677	A1	EN	9	4	
TW 583559	A	ZH			

Authorization and security management system for computer implemented system,
determines whether operation requested by user is valid based... Original
Titles: Authorization and security management system and method Alerting Abstract
DESCRIPTION - An INDEPENDENT CLAIM is also included for authorization and
security management method... USE - For authorization and security management of
computer implemented system... DESCRIPTION OF DRAWINGS - The figure shows the
hardware architecture of the authorization and security management system... Original
Publication Data by Authority Original Abstracts: An authorization and security
management system includes a plurality of client computers (10), an application server (12),
and a database (14). Each client computer includes an interactive user interface (100) for
users to send requests for operations. Each client computer is interconnected with the
application server through a common network (11), and the application... is interconnected
with the database through a database link (13). The application server includes an
authorization device (120), a security device (121), and a verification device (122). The
authorization device is for maintaining user passwords and assigning roles to users. The
security device is for encrypting user passwords and decrypting encrypted passwords. The
verification device is for verifying passwords input by users when the users request to log in
the system, and for verifying operations requested by users. The... Claims: What is claimed
is: 1. An authorization and security management system, comprising: a plurality of client
computers, each of the client computers providing an interactive user interface through
which a user requests an operation; an application server, comprising: a role defining unit for
defining at least one role, the at least one role...

17/3.K/7 (Item 6 from file: 350) [Links](#)
Fulltext available through: [Order File History](#)
Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013882194 & & *Drawing available*

WPI Acc no: 2004-061104/200406

XRPX Acc No: N2004-049503

Application-level virtual private networking method in enterprise organization, involves authenticating requester message with hash value calculated by connection manager, before forwarding message to external resource

Patent Assignee: ENGELBACH R G (ENGE-I); ENGER J M (ENGE-I); HOLLIS R L (HOLL-I); THREATGUARD INC (THRE-N)

Inventor: ENGELBACH R G; ENGER J M; HOLLIS R L

Patent Family (4 patents, 101 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20030229786	A1	20031211	US 2002380727	P	20020515	200406	B
			US 2003249877	A	20030514		
US 6804777	B2	20041012	US 2003249877	A	20030514	200467	E
WO 2004107646	A1	20041209	WO 2003US15383	A	20030515	200481	E
AU 2003229299	A1	20050121	AU 2003229299	A	20030515	200526	E

Priority Applications (no., kind, date): US 2002380727 P 20020515; US 2003249877 A 20030514

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
US 20030229786	A1	EN	16	6	Related to Provisional	US 2002380727
WO 2004107646	A1	EN				
AU 2003229299	A1	EN			Based on OPI patent	WO 2004107646

Alerting Abstract ... program for application-level virtual private networking; system for application-level virtual private networking; and user interface method. ADVANTAGE - By authenticating the requester message with calculated hash value, enables users to securely share application and network resources and ensures that only approved and unaltered applications can access the resources being made availableOriginal Publication Data by AuthorityOriginal Abstracts: A method for enabling users to securely share application information and resources by granting resource owners access to user-application combinations. It provides a means for ensuring that only... .. A method for enabling users to securely share application information and resources by granting resource owners access to user-application combinations. It provides a means for ensuring that only approved and unaltered...

17/3,K/8 (Item 7 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)
Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013627791 & & *Drawing available*

WPI Acc no: 2003-723416/200369

XRPX Acc No: N2003-578420

Secure resource interacting apparatus for biometric verification/identification techniques has verification/identification system to provide instructions to security server

Patent Assignee: JUNQUA J (JUNQ-I); MATSUSHITA DENKI SANGYO KK (MATU); MATSUSHITA ELECTRIC IND CO LTD (MATU)

Inventor: JUNQUA J; JUNQUA J C

Patent Family (3 patents, 33 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
EP 1343121	A2	20030910	EP 2003251275	A	20030304	200369	B
US 20030171930	A1	20030911	US 200292973	A	20020307	200369	E
JP 2004032685	A	20040129	JP 200362113	A	20030307	200410	E

Priority Applications (no., kind, date): US 200292973 A 20020307

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing	Notes
EP 1343121	A2	EN	14	5		
Regional Designated States, Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR					
JP 2004032685	A	JA	17			

...NOVELTY - A biometric data input system is coupled to the security server to obtain user biometric data from user. A biometric verification/identification system accesses data store to evaluate user biometric data. The verification/identification system provides instructions to the security server and provides control signals for interacting with secure resource. Original Publication Data by Authority...Original Abstracts:determine if the user may control or interact with the secure resource. If interaction is permitted, the security server sends control signals to the secure resource. The telephone system provides an interface through which the user trains the system to store the biometric verification/identification data of that user... .. determine if the user may control or interact with the secure resource. If interaction is permitted, the security server sends control signals to the secure resource. The telephone system provides an interface through which the user trains the system to store the... ..Claims:biometric data input system coupled to said security server and operable to obtain user biometric data from said user;said biometric verification/identification system being configured to access said data store and to evaluate said user biometric...

17/3,K/9 (Item 8 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013304514 & *Drawing available*

WPI Acc no: 2003-391446/200337

XRPX Acc No: N2003-312668

User identity authentication program storage device for computer, involves establishing security process, enabling authentication procedure on computer and storing secure user acknowledgement

Patent Assignee: PINNACLE TECHNOLOGIES INC (PINN-N)

Inventor: DIRCKS C E; OSMANN E E

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 6542994	B1	20030401	US 1999290114	A	19990412	200337	B

Priority Applications (no., kind, date): US 1999290114 A 19990412

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 6542994	B1	EN	8	3	

User identity authentication program storage device for computer, involves establishing security process, enabling authentication procedure on computer and storing secure user acknowledgement Original Publication Data by Authority...Original Abstracts:preventing unauthorized transactions at either the workstation or network level. The PDF provides a graphic user interface using objects that encapsulate programs with data, such as user preferences, default directories, and access privileges. The Daemon performs many tasks, including starting the PDF, enumerating the windows of the graphic user interface, and recording operations. ...Claims:or restarting the computer operating system; enabling an authentication procedure on the computer by the security process; storing a secure user acknowledgment by the security process which is acceptable to the operating system; and executing the computer operating system.

17/3,K/10 (Item 9 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013255762 & *Drawing available*

WPI Acc no: 2003-341235/200332

XRPX Acc No: N2003-272942

Secure shell protocol access method for networked computer system, involves providing security policy approval for logical channel allocation by comparing access control

permissions with cached session key
 Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)
 Inventor: HEMSATH D K

Patent Family (2 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20030005178	A1	20030102	US 2001895120	A	20010629	200332	B
US 6851113	B2	20050201	US 2001895120	A	20010629	200511	E

Priority Applications (no., kind, date): US 2001895120 A 20010629

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes
US 20030005178	A1	EN	11	5	

Secure shell protocol access method for networked computer system, involves providing security policy approval for logical channel allocation by comparing access control permissions with cached session key ...a user ID to privileges, is associated with the cached session key and ID. A security policy approval is provided to authenticated client requesting logical channel allocation, by comparing access control policy repository... Original Publication Data by AuthorityOriginal Abstracts:An enhanced Secure Shell (SSH) protocol having fine-grained access security policy management and enforcement. Via an authorization application programming interface (aznAPI), remote user protocol connections and sessions may be added to the protected object space of a policy management... ... system resources once authenticated, the user is granted permission to access only the system resources allowed in the security policy or policies. ... Secure Shell (SSH) protocol having fine-grained access security policy management and enforcement. Via an authorization application programming interface (aznAPI), remote user protocol connections and sessions may be added to the protected object... ... and access to system resources once authenticated, the user is granted permission to access only the system resources allowed in the security policy or policies. ...Claims:of privileges;associating said credentials with said cached session key and ID; andperforming a security policy approval responsive to a request allocation of a logical channel, said approval considering permissions set in said access control policy repository in comparison to said cached session key, ID and associated credentials... ... fine-grained privileges;catching and associating said credentials with said session key; andperforming a security policy approval responsive to a Secured Shell logical channel allocation request, said approval considering permissions set in

17/3.K/11 (Item 10 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013192542 & *Drawing available*

WPI Acc no: 2003-276221/200327

XRPX Acc No: N2003-219453

Scalable data sharing LAN connected to internet, provides permission rights for accessing respective portions of shared database, when owner and shared access authentication signals are received

Patent Assignee: GRP 2MB INC (TWOM-N)

Inventor: BARRETTE Y; MERCURE J; MERCURE L

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020194295	A1	20021219	US 2001881580	A	20010615	200327	B

Priority Applications (no., kind, date): US 2001881580 A 20010615

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20020194295	A1	EN	18	9	

Alerting Abstract ...ADVANTAGE - Provides to the user a user interface which allows him to access the LAN resources in a flexible way... Original Publication Data by Authority...Original Abstracts:drive servers and more than one email servers. The architecture provides to the user a user interface which allows him to access its resources in a flexible way. ...Claims:connected to said WAN, authenticating a local user and providing an owner authentication signal; a shared database, said shared database comprising said shared data; a permission database, the permission database comprising a relation between at least one user identification, at least one part of said data and said permission rights; a shared access authentication unit, connected to said WAN, the shared access authentication unit authenticating a non local user using said permission database and providing a shared access authentication signal; a database manager, connected to at least said owner authentication unit, to said shared access authentication unit, to said permission database and to said shared database, the database manager, receiving a request from a user and providing an access with permission right to at least one part of said shared data of said shared database with said permission rights if an owner authentication signal or if a shared access authentication signal is received.

17/3,K/12 (Item 11 from file: 350) [Links](#)

Fulltext available through: [Order](#) [File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013128851 & *Drawing available*

WPI Acc no: 2003-210926/200320

XRPX Acc No: N2003-168075

Provision system for enhancing peer-to-peer communication services via a data network has peer devices, one with programmable controller and program storage, and peer server

Patent Assignee: GIGAMEDIA ACCESS CORP (GIGA-N)

Inventor: FLOWERS C L; FLOWERS J M; KYAW T R

Patent Family (4 patents, 99 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2003014955	A1	20030220	WO 2002US25030	A	20020807	200320	B
US 20030105812	A1	20030605	US 2001310825	P	20010809	200339	E
			US 2001310826	P	20010809		
			US 2001310830	P	20010809		
			US 2001315986	P	20010831		
			US 2001316008	P	20010831		
			US 2001316039	P	20010831		

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes		
WO 2003014955	A1	EN	73	14			
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW						
Regional Designated States,Original	AT BE BG CH CY CZ DE DK EA EE ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SK SL SZ TR TZ UG ZM ZW						
					Based on OPI patent	WO 2003014955	
Regional Designated States,Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR						
AU 2002326547	A1	EN			Based on OPI patent	WO 2003014955	

...NOVELTY - The system includes several peer devices, each with a user interface and a network interface for enabling communications over a data network. A peer server, coupled...
Original Publication Data by Authority...Original Abstracts:to-peer communications. The hybrid architecture allows centralized administration and policy management of authentication, obstacle transversal and security methods, to ensure the overall system integrity required by business systems. Typical peer user devices... .. communications. The hybrid architecture allows centralized administration and policy management of authentication, obstacle transversal and security methods, to ensure the overall system integrity required by business systems. Typical peer user devices implement peer client programming, for signaling communication with the server and for peer-to... ..Claims:via a data network, comprising:a plurality of peer devices, each peer device having a user interface and a network interface for enabling communications over the data network;a peer server, coupled for data communication via the data network, for providing session establishment...

17/3.K/13 (Item 12 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX
(c) 2008 The Thomson Corporation. All rights reserved.

0012816421 & & *Drawing available*

WPI Acc no: 2002-673876/200272

SRPX Acc No: N2002-532802

Network information handling system for client server environment, includes server application with user interface running on server, having shared access data tier, client and server application code tier

Patent Assignee: XEROX CORP (XERO)

Inventor: CHOU C; CHOU C S

Patent Family (3 patents, 2 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020099796	A1	20020725	US 2001768148	A	20010123	200272	B
JP 2002304296	A	20021018	JP 200211238	A	20020121	200301	E
US 7127677	B2	20061024	US 2001768148	A	20010123	200670	E

Priority Applications (no., kind, date): US 2001768148 A 20010123

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20020099796	A1	EN	16	4	
JP 2002304296	A	JA	14		

Network information handling system for client server environment, includes server application with user interface running on server, having shared access data tier, client and server application code tier Alerting Abstract ...NOVELTY - A server application comprising user interface running on a server. The application has client application code tier (310) for initiating processing... ..interface which allows the user of the server application to customize or create their own user interface. Readily adaptable to internal charge back rather than payment... Original Publication Data by Authority...Original Abstracts:to access the server computer system. The system further includes a server application comprising a user interface running on the server computer system and having a multi-tier architecture. The multi-tier architecture includes a first... .. to allow a user, such as a system administrator or the like, to customize the user interface. In a further aspect, a method of customizing a server application is also provided... .. to access the server computer system. The system further includes a server application comprising a user interface running on the server computer system and having a multi-tier architecture. The multi-tier architecture includes a first tier of client application code... .. code, and a third tier of shared access and data code. An application programming interface is configured to allow a user, such as a system administrator or the like, to customize the user interface. In a further aspect, a method of customizing a server application is also provided. ...Claims:plurality of users to access the server computer system; and a server application comprising a user interface running on the server computer system, the server application having a multi-tier

architecture comprising a first tier of client application code for initiating processing by the server application in... .. a third tier of shared access and data code; an application programming interface configured to allow customization of the user interface. requisition for the verified user requested print on demand items;a server application comprising a user interface running on the server computer system, the server application having a multi-tier architecture comprising... .. to input by a user of the client computer system, a middle tier of object-oriented server application code, and a third tier of shared access and data code; andan application programming interface configured to allow customization of the user interface,wherein the customizable system is configured to allow a first user to access a first

17/3,K/14 (Item 13 from file: 350) [Links](#)
 Fulltext available through: [Order File History](#)
 Derwent WPIX
 (c) 2008 The Thomson Corporation. All rights reserved.

0012467817

WPI Acc no: 2002-414148/200244

XRPX Acc No: N2002-325573

Financial transaction facilitating system in real estate through Internet, presents terms of transaction and documents to participants based on appropriate rule

Patent Assignee: CLOSINGGUARD.COM INC (CLOS-N); LEWIS R (LEWI-I); MILLER G S (MILL-I)

Inventor: LEWIS R; MILLER G S

Patent Family (3 patents, 93 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020029194	A1	20020307	US 2000657019	A	20000907	200244	B
			US 2001948247	A	20010907		
WO 2002021405	A1	20020314	WO 2001US28170	A	20010907	200244	E
AU 200188936	A	20020322	AU 200188936	A	20010907	200251	E

Priority Applications (no., kind, date): US 2000657019 A 20000907; US 2001948247 A 20010907

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
US 20020029194	A1	EN	30	10	C-I-P of application	US 2000657019
WO 2002021405	A1	EN				
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW					
Regional Designated States,Original	AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR					

AU 200188936	A	EN		Based on OPI patent	WO 2002021405
--------------	---	----	--	---------------------	---------------

Alerting Abstract ... medium stored with financial transaction facilitating provision program;Financial transaction monitoring and managing system;Graphical user interface for managing transactionsOriginal Publication Data by Authority...Original Abstracts:automatically calculates all required payments, arranges for the electronic transfer of funds upon input by the participants of final authorization, accompanied by digital verification, and creates audit records of the final transaction details...

17/3,K/15 (Item 14 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0011152358 & & *Drawing available*

WPI Acc no: 2002-089522/200212

Related WPI Acc No: 2002-041135

XRPX Acc No: N2002-066013

Secure communication system e.g. Internet system, has cryptographic token storing key information and actuating security module to encrypt and decrypt data

Patent Assignee: KRYPTON SOFTWARE LTD (KRYPT-N)

Inventor: LARAYA J L R; SOLOMOS G; SOLOMOS G H

Patent Family (3 patents, 88 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2001044899	A1	20010621	WO 2000CA1481	A	20001213	200212	B
AU 200119790	A	20010625	AU 200119790	A	20001213	200212	E
CA 2296208	A1	20010613	CA 2296208	A	20000117	200212	E

Priority Applications (no., kind, date): CA 2292063 A 19991213; CA 2296208 A 20000117

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
WO 2001044899	A1	EN	62	15	
National Designated States,Original	AE AL AM AT AU AZ BA BB BG BR BY CH CN CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW				
Regional Designated States,Original	AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZW				
AU 200119790	A	EN			Based on OPI patent WO 2001044899
CA 2296208	A1	EN			

Original Publication Data by Authority...Original Abstracts:a PC card, and IC card or a Smart Card having a contact sensitive graphical user interface (40). The token (24) captures through the interface (40) a template associated with a user's ideogram signature information... .. The template is then compared with subsequent inputs of this ideogram signature information from the user and verified to enable the cryptographic token to function with the security module (22). The cryptographic token (24) may have either an independent power source permitting the... .. token device (24) which must be enabled by a user and temporarily connected with the security module (22) to permit the use of the user

17/3,K/16 (Item 15 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0008841144 & & *Drawing available*

WPI Acc no: 1998-387567/199833

Related WPI Acc No: 2000-637079

XRPX Acc No: N1998-302293

Automated financial instrument processing system e.g. for money orders in financial establishment - includes security processor which restricts access to printer for printing financial instrument after confirming identity of user and selected printer

Patent Assignee: FIRST DATA CORP (FIRS-N)

Inventor: CUSTY J M; KNOLL B L; SUGUIRA S; WALSH B W

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 5774879	A	19980630	US 1993173907	A	19931227	199833	B
			US 1996732159	A	19961016		

Priority Applications (no., kind, date): US 1993173907 A 19931227; US 1996732159 A 19961016

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 5774879	A	EN	23	28	Continuation of application US 1993173907

Alerting Abstract ...A security processor restricts access to selected functions after confirming identity of the user. The security processor compares unique identifier associated with a specific printer and a stored identifier to confirm... Original Publication Data by Authority...Original Abstracts:allow for the configuration and customization of the execution control processor (10) and a graphical user interface (18). A communications processor (20) is provided to establish network connection with a host computer. Context-sensitive help is... Claims:A data processing system operable to process financial

instruments, comprising: a graphical user interface operable to present a plurality of options to a user of the system; a data base processor operable to... of the system prior to allowing access to the printer for printing the financial instruments, the security processor being further operable to compare a unique identifier associated with a particular printer, to...

17/3,K/17 (Item 16 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0006852921 & & *Drawing available*

WPI Acc no: 1994-242471/199430

Related WPI Acc No: 1999-048323

XPX Acc No: N1994-191324

Secure system for transmission of facsimile messages - includes communication modules establishing contact between facsimile machines prior to data transmission

Patent Assignee: ETAT FR MIN POSTES (ETFR); FRANCE TELECOM (ETFR);

FRANCE TELECOM ETAB AUTONOME (ETFR); LA POSTE (ETFR)

Inventor: GIRAULT M; LE C H; LE CORRE H; REVILLET M; REVILLET M J

Patent Family (6 patents, 5 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
EP 609142	A1	19940803	EP 1994400164	A	19940126	199430	B
FR 2700905	A1	19940729	FR 1993867	A	19930128	199432	E
JP 7046414	A	19950214	JP 19947876	A	19940127	199516	E
US 5555307	A	19960910	US 1994188052	A	19940126	199642	E
EP 609142	B1	19990901	EP 1994400164	A	19940126	199940	E
			EP 1998203239	A	19940126		
DE 69420292	E	19991007	DE 69420292	A	19940126	199947	E
			EP 1994400164	A	19940126		

Priority Applications (no., kind, date): FR 1993867 A 19930128

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
EP 609142	A1	FR	6	2		
Regional Designated States,Original	DE GB					
JP 7046414	A	JA	9			
US 5555307	A	EN	7	2		
EP 609142	B1	FR			Related to application	EP 1998203239
					Related to patent	EP 887997
Regional Designated States,Original	DE GB					
DE 69420292	E	DE			Application	EP 1994400164
					Based on OPI patent	EP 609142

Alerting Abstract ...The source machine also includes a security system with a user interface module (16), and a security module (17) which allows the production and verification of digital signatures. The operator of the source terminal is able... Original Publication Data by AuthorityOriginal Abstracts: The invention relates to an apparatus for secure facsimile transmission comprising: - a user interface (16) making it possible to set up a dialogue with the latter; - a security module (17) allowing production and verification of digital signatures, and combating reproduction. The invention also relates to a secure... ... a secured telecopier or fax unit having such a security device. The device incorporating a user interface (16) permitting the establishment of a dialogue therewith and a security module (17) permitting the production and checking of digital signatures and preventing replay. The invention also relates to a fax unit including... ...Claims:1. Device for rendering secure the transmission of faxes comprising a user interface (16) making it possible to establish a dialogue therewith, characterized in that it comprises a security module (17) making it possible to detect replays, prevent a retransmission of a document to the same recipient without the... ... reader individual to the user and in which are stored: - a first secret element which is a confidential code enabling the card to authenticate its legitimate owner, - a second secret element (SA) enabling the card of the transmitter to calculate a... ... We claim: Device for rendering secure the transmission of faxes comprising a user interface and a security module, said security module being operable to generate and check a plurality... ... signatures including an operator digital signature and a transmission date and time digital signature, said security module including means for authenticating the operator, means for verifying transmission and reception, and means for...

?

Patent Fulltext Files

show files

[File 15] ABI/Inform(R) 1971-2008/Mar 05

(c) 2008 ProQuest Info&Learning. All rights reserved.

[File 16] Gale Group PROMT(R) 1990-2008/Feb 29

(c) 2008 The Gale Group. All rights reserved.

**File 16: Because of updating irregularities, the banner and the update (UD=) may vary.*

[File 148] Gale Group Trade & Industry DB 1976-2008/Feb 18

(c)2008 The Gale Group. All rights reserved.

**File 148: The CURRENT feature is not working in File 148. See HELP NEWS148.*

[File 160] Gale Group PROMT(R) 1972-1989

(c) 1999 The Gale Group. All rights reserved.

[File 275] Gale Group Computer DB(TM) 1983-2008/Feb 28

(c) 2008 The Gale Group. All rights reserved.

[File 621] Gale Group New Prod. Annou.(R) 1985-2008/Feb 18

(c) 2008 The Gale Group. All rights reserved.

[File 13] BAMP 2008/May W4
(c) 2008 The Gale Group. All rights reserved.

[File 75] TGG Management Contents(R) 86-2008/Feb W3
(c) 2008 The Gale Group. All rights reserved.

[File 95] TEME-Technology & Management 1989-2008/Feb W3
(c) 2008 FIZ TECHNIK. All rights reserved.

[File 9] Business & Industry(R) Jul/1994-2008/Mar 03
(c) 2008 The Gale Group. All rights reserved.

[File 20] Dialog Global Reporter 1997-2008/Mar 05
(c) 2008 Dialog. All rights reserved.

[File 476] Financial Times Fulltext 1982-2008/Mar 06
(c) 2008 Financial Times Ltd. All rights reserved.

[File 610] Business Wire 1999-2008/Mar 02
(c) 2008 Business Wire. All rights reserved.
**File 610: File 610 now contains data from 3/99 forward. Archive data (1986-2/99) is available in File 810.*

[File 613] PR Newswire 1999-2008/Mar 03
(c) 2008 PR Newswire Association Inc. All rights reserved.
**File 613: File 613 now contains data from 5/99 forward. Archive data (1987-4/99) is available in File 813.*

[File 624] McGraw-Hill Publications 1985-2008/Mar 05
(c) 2008 McGraw-Hill Co. Inc. All rights reserved.
**File 624: Homeland Security & Defense and 9 Platt energy journals added Please see HELP NEWS624 for more*

[File 634] San Jose Mercury Jun 1985-2008/Mar 02
(c) 2008 San Jose Mercury News. All rights reserved.

[File 636] Gale Group Newsletter DB(TM) 1987-2008/Feb 29
(c) 2008 The Gale Group. All rights reserved.

[File 810] Business Wire 1986-1999/Feb 28
(c) 1999 Business Wire . All rights reserved.

[File 813] PR Newswire 1987-1999/Apr 30
(c) 1999 PR Newswire Association Inc. All rights reserved.

[File 625] American Banker Publications 1981-2008/Mar 05
(c) 2008 American Banker. All rights reserved.

[File 268] Banking Info Source 1981-2008/Feb W4
(c) 2008 ProQuest Info&Learning. All rights reserved.

[File 626] Bond Buyer Full Text 1981-2008/Mar 05
(c) 2008 Bond Buyer. All rights reserved.

[File 267] Finance & Banking Newsletters 2008/Jan 28
(c) 2008 Dialog. All rights reserved.

[File 348] EUROPEAN PATENTS 1978-2007/ 200809
(c) 2008 European Patent Office. All rights reserved.

[File 349] PCT FULLTEXT 1979-2008/UB=20080131UT=20080124
(c) 2008 WIPO/Thomson. All rights reserved.

```
; d s
Set      Items      Description
```

S1 259752 S (VERIF??? OR VERIFICATION? ? OR VALIDAT??? OR VALIDATION OR AUTHENTICAT? OR CONFIRM?)(3N)(CUSTOMER? ? OR USER? ? OR CONSUMER? ? OR CUSTOMER? ? OR PARTICIPANT? ?)
S2 33710 S S1(7N)(FINANC?())INSTRUMENT OPTION? ? OR FUTURE? ? OR FUND? ? OR STOCK? ? OR BOND? ? OR SHARE? ? OR COMMODIT??? OR MONEY OR SECURIT??? OR (EQUITIES OR EQUITY)() (MARKET? ? OR TRADE?? OR TRADING OR INVESTMENT? ? OR INVEST???)
S3 1970133 S (ALLOW??? OR ALLOWING OR ALLOWANCE OR PERMISSION OR PERMIT? OR APPROV?? OR AUTHORI?ATION OR ACCEPT? OR PERMIT? OR GRANT??? OR AUTHORI???) (3N) (FINANC?())INSTRUMENT OPTION? ? OR FUTURE? ? OR FUND? ? OR STOCK? ? OR BOND? ? OR SHARE? ? OR COMMODIT??? OR MONEY OR SECURIT??? OR (EQUITIES OR EQUITY)() (MARKET? ? OR TRADE?? OR TRADING OR INVESTMENT? ? OR INVEST???)
S4 1374561 S (START??? OR BEGIN? OR INITIAT??? OR ACTIVAT??? OR ORIGINAT???) (3N) (ORDER? ? OR DEALING? ? OR TRADE? ? OR TRADING OR TRANSACTION? ? OR PURCHAS??? OR EXCHANG??? OR DEAL? ? OR SELL??? OR SALE? ? OR TRANSFER? OR BUY???)
S5 28546349 S (CUSTOMER? ? OR USER? ? OR CONSUMER? ? OR CUSTOMER? ? OR PARTICIPANT? ?)
S6 536546 S (PROPOSAL? ? OR SUBMISSION? ? OR BID OR BIDS OR OFFER? ? OR PROFFER? ? OR TENDER? ?)(3N)(PARAMETER? ? OR VALUE? ? OR ATTRIBUTE?? OR FACTOR? ? OR ELEMENT? ? OR CONDITION? ?)
S7 486403 S USER()INTERFACE
S8 704128 S (EXCHANG??? OR INTERCHANG??? OR INTER()CHANG???) (3N) (COMMUNICATION OR TRANSMISSION OR TRANSACTION OR TRAD???)
S9 1636275 S (MATCH?? OR CORRESPOND? OR CORRELAT??? OR CONFORM OR ASSOCIAT??? OR MAPP??? OR LINK??? OR COUPL??? OR JOIN??? OR RELAT?? OR RELATIONSHIP? ? OR INTERRELAT?? OR INTERCONNECT??? OR CONNECT??? OR INTERDEPEND? OR INTERACTION OR AFFILIATION? OR ASSOCIATION? OR RELAT???) (3N) (PARAMETER? ? OR VALUE? ? OR ATTRIBUTE?? OR FACTOR? ? OR ELEMENT? ? OR CONDITION? ?)
S10 353 S AU=(TEMPLETON, J? OR TEMPLETON J? OR TEMPLETON(2N)J? OR BHARGAVA, S? OR BHARGAVA S? OR BHARGAVA(2N)S?)
S11 0 S S10 AND S2
S12 3 S S10 AND S1
S13 1149 S S2(7N)S3
S14 0 S S13(3N)S4
S15 1149 S S13(7N)S5
S16 0 S S15(7N)S6
S17 5 S S15(7N)S7
S18 5 S S15(5N)S8
S19 5 S S18 NOT S17
S20 3 S S13(10N)S9

?

? t /3,k/all

12/3K/1 (Item 1 from file: 349) [Links](#)

Fulltext available through: [Order File History](#)

PCT FULLTEXT

(c) 2008 WIP0/Thomson. All rights reserved.

00871104

SYSTEM AND METHOD FOR VERIFYING A FINANCIAL INSTRUMENT
SYSTEME ET PROCEDE DE VERIFICATION D'UN INSTRUMENT FINANCIER

Patent Applicant/Patent Assignee:

• PAYPAL INC.; 1840 Embarcadero Road East, Palo Alto, CA 94303
US; US(Residence); US(Nationality)

Legal Representative:

• VAUGHAN Daniel(et al)(agent)
Park, Vaughan & Fleming LLP, 702 Marshall Street, Suite 310, Redwood City, CA
94063; US;

	Country	Number	Kind	Date
Patent	WO	200205224	A2-A3	20020117
Application	WO	2001US21725		20010710
Priorities	US	2000217243		20000710
	US	2000217202		20000710

Designated States: (All protection types applied unless otherwise stated - for applications 2004+)

Publication Language: English
Filing Language: English
Fulltext word count: 5323

Detailed Description:

...and, if they match, the user is then allowed to use the instrument. If the verification fails, the user may be allowed to try again, offer different or additional I/O verification, his or... various reasons or in various situations. For example, a merchant may initiate or implement a verification process when a customer wishes to make a purchase (e.g., if the customer is new or if the... or bank) or by telephone.

Another embodiment of the invention may be applied to prospectively verify a user's authority to use a financial instrument. For example, an on-line system may allow... require the financial instrument, or the user's authorization to use the instrument, to be verified before allowing the user to use it in the system.

FIG. 1 depicts a system for verifying a user... other instruments that can be verified through a method of the invention may perform such verification for all users, just for users deemed high risk, or for some other group of users. For example... warrant verification, or so high that the user should be rejected without even attempting to verify the user's selected instrument.

Because the identity of a vendor (e.g., merchant) involved in a... used to perform a verifying transaction may be one of the details required of a user in order to verify a financial instrument. Thus, the entity (e.g., merchant, vendor, on-line service) performing or... in one embodiment of the invention, to verification of their credit cards, whereas all international users may require verification. Similarly, all bank accounts or other sources of electronic checks or debits may be deemed... a monthly statement from the user's financial

institution). Or, the system may restart the verification process, restrict the user's activity or use of the instrument, etc. the method may therefore end or return...

Claims:

...selected details.

40 The apparatus of claim 39, further comprising prompting means for prompting the customer to provide said confirmation set of details.10

41 The apparatus of claim 40, wherein said interface means...

12/3K/2 (Item 2 from file: 349) [Links](#)

Fulltext available through: [Order File History](#).

PCT FULLTEXT

(c) 2008 WIPO/Thomson. All rights reserved.

00755449

INTEGRATED SYSTEM FOR ORDERING, FULFILLMENT, AND DELIVERY OF
CONSUMER PRODUCTS USING A DATA NETWORK
SYSTEME INTEGRE DE COMMANDE, D'EXECUTION DE COMMANDE ET DE
LIVRAISON DE PRODUITS DE CONSOMMATION FAISANT APPEL A UN RESEAU
DE DONNEES

Patent Applicant/Patent Assignee:

- WEBVAN GROUP INC; 310 Lakeside Drive, Foster City, CA 94404
US; US(Residence); US(Nationality)

Legal Representative:

- WOLF Dean E(agent)
Beyer Weaver & Thomas, LLP, P.O. Box 130, Mountain View, CA 94042-0130; US;

	Country	Number	Kind	Date
Patent	WO	200068859	A2-A3	20001116
Application	WO	2000US13038		20000511
Priorities	US	99133346		19990511
	US	2000568603		20000510

Designated States: (All protection types applied unless otherwise stated - for applications 2004+)

Publication Language: English

Filing Language: English

Fulltext word count: 30001

Detailed Description: ...146 which manages financial and human resource information, and communicates with other subsystems for authenticating users and assigning roles;
(6) an Order Fulfillment Subsystem (OFS) 160 which facilitates the fulfillment of...communicate with the MFD server.

After the MFD has processed all appropriate transactions at the customer delivery site (including verification of current ordered items received by the customer), the MFD may also be configured or...a modified or "zero balance" receipt to the customer at the time of delivery, the customer receives immediate confirmation of all currently pending charges for which the customer will be billed. This provides the...available resource capacity in the Transportation Subsystem before a particular delivery window request may be confirmed. Additionally, the customer address or shipping address must be mapped with a pre-determined deliverable area.

For example... the Route Planner to the Transportation Subsystem, where it is then forwarded (22) to the customer. Additionally, upon confirming the delivery window request, the Route Planner forwards to the Webstore database transportation capacity data...

Claims:

...customer order;
5 processing said fulfilled customer order for shipment to a customer; and generating customer order confirmation data after the fulfilled customer order has been shipped to the customer.105. The method...

12/3K/3 (Item 3 from file: 349) [Links](#)
Fulltext available through: [Order File History](#)
PCT FULLTEXT
(c) 2008 WIPO/Thomson. All rights reserved.
00755446
ELECTRONIC COMMERCE ENABLED DELIVERY SYSTEM AND METHOD
SYSTEME ET PROCEDE DE LIVRAISON ACTIVE PAR COMMERCE
ELECTRONIQUE

Patent Applicant/Patent Assignee:

- WEBVAN GROUP INC; 310 Lakeside Drive, Foster City, CA 94404
US; US(Residence); US(Nationality)

Legal Representative:

- WOLF Dean E(agent)
Beyer Weaver & Thomas, LLP, P.O. Box 130, Mountain View, CA 94042-0130; US;

	Country	Number	Kind	Date
Patent	WO	200068856	A2-A3	20001116

Application	WO	2000US12905	20000510
Priorities	US	99133646	19990511

Designated States: (All protection types applied unless otherwise stated - for applications 2004+)

Publication Language: English

Filing Language: English

Fulltext word count: 21321

Detailed Description:

...electronic mail message with an order confirmation, displaying a 1 5 new screen with order confirmation to the user, and/or other notification means.

Also, at step 366, the user can continue to shop... ..be able to do so from current inventory while the reservation is valid. If the consumer does not confirm their order within a predetermined period, the reserved 1 5 items are released; although, the...

? t /3,k/all

17/3,K/1 (Item 1 from file: 16) [Links](#)

Gale Group PROMT(R)

(c) 2008 The Gale Group. All rights reserved.

06511818 Supplier Number: 55252461 (USE FORMAT 7 FOR FULLTEXT)

ObjectWave and Oakton Community College Launch Enterprise Wide E-Commerce Solution.

PR Newswire , p 8526

July 26 , 1999

Language: English Record Type: Fulltext

Document Type: Newswire ; Trade

Word Count: 520

...Web-based secured transaction system, which enables credit card based payments; a Java thin client user interface; authentication and security authorization via LDAP; integration of CTI for touch tone registration; a GemStone/S object server, an...

17/3,K/2 (Item 1 from file: 148) [Links](#)

Gale Group Trade & Industry DB

(c)2008 The Gale Group. All rights reserved.

11211687 Supplier Number: 55252461 (USE FORMAT 7 OR 9 FOR FULL TEXT)
ObjectWave and Oakton Community College Launch Enterprise Wide E-Commerce
Solution.

PR Newswire , 8526
July 26 , 1999
Language: English
Record Type: Fulltext
Word Count: 577 Line Count: 00056

...Web-based secured transaction system, which enables credit
card based
payments; a Java thin client user interface;
authentication and security authorization via LDAP;
integration of CTI for touch tone registration; a GemStone/S
object server,
an...

17/3K/5 (Item 1 from file: 349) [Links](#)
Fulltext available through: [Order File History](#)

PCT FULLTEXT

(c) 2008 WIPO/Thomson. All rights reserved.

00890313

NETWORK MANAGEMENT SYSTEM
SYSTEME DE GESTION DE RESEAU

Patent Applicant/Patent Assignee:

- CYMTEC SYSTEMS INC; 8000 Maryland Avenue, Suite 700, Clayton, MO 63105
US; US(Residence); US(Nationality)

Legal Representative:

- KANG Grant D(et al)(agent)
Thompson Coburn LLP, One Firstar Plaza, St. Louis, MO 60101; US;

	Country	Number	Kind	Date
Patent	WO	200223808	A2-A3	20020321
Application	WO	2001US28628		20010914
Priorities	US	2000662058		20000915

Designated States: (All protection types applied unless otherwise stated - for applications
2004+)

Publication Language: English

Filing Language: English

Fulltext word count: 10054

Detailed Description:

...passes it along path 266 to security module 56 for logging and verification. Upon the verification of the user identification, security module 56 permits access to graphical user interface module 69 via path 268. Graphical user interface module 69 uses path 270 to retrieve objects from local client database 62. Local client...

? t /3,k/all

18/3,K/1 (Item 1 from file: 16) [Links](#)

Gale Group PROMT(R)

(c) 2008 The Gale Group. All rights reserved.

08317602 Supplier Number: 70356164 (USE FORMAT 7 FOR FULLTEXT)

AuthXML Working Group Submits AuthXML Specification to OASIS XML Security Services Technical Committee.

Business Wire , p 2349

Feb 12 , 2001

Language: English Record Type: Fulltext

Document Type: Newswire ; Trade

Word Count: 637

...and organizations. With each organization conducting business on the Web using separate systems for performing user authentication and authorization, exchanging security data between trading partners, affiliated organizations, and between businesses and consumers, is impossible. AuthXML defines a standard

18/3,K/2 (Item 1 from file: 148) [Links](#)

Gale Group Trade & Industry DB

(c)2008 The Gale Group. All rights reserved.

13086288 Supplier Number: 70356164 (USE FORMAT 7 OR 9 FOR FULL TEXT)

AuthXML Working Group Submits AuthXML Specification to OASIS XML Security Services Technical Committee.

Business Wire , 2349

Feb 12 , 2001

Language: English

Record Type: Fulltext

Word Count: 637 Line Count: 00059

...and organizations. With each organization conducting business

on the Web
using separate systems for performing user authentication and
authorization, exchanging security data between
trading partners, affiliated organizations, and between
businesses
and consumers, is impossible. AuthXML defines a standard
method...

18/3,K/3 (Item 1 from file: 621) [Links](#)

Gale Group New Prod.Annou.(R)

(c) 2008 The Gale Group. All rights reserved.

02803376 Supplier Number: 70356164 (USE FORMAT 7 FOR FULLTEXT)

AuthXML Working Group Submits AuthXML Specification to OASIS XML Security
Services Technical Committee.

Business Wire , p 2349

Feb 12 , 2001

Language: English Record Type: Fulltext

Document Type: Newswire ; Trade

Word Count: 637

...and organizations. With each organization conducting business
on the Web
using separate systems for performing user authentication and
authorization, exchanging security data between
trading partners, affiliated organizations, and between
businesses
and consumers, is impossible. AuthXML defines a standard
method...

? t/3,k/all

20/3K/1 (Item 1 from file: 348) [Links](#)

Fulltext available through: [Order File History](#)

EUROPEAN PATENTS

(c) 2008 European Patent Office. All rights reserved.

02240308

System and method for biometric authentication

System und Verfahren für biometrische Authentifizierung

Système et procédé pour une authentification biométrique

Patent Assignee:

- Huawei Technologies Co., Ltd.; (7236900)
Huawei Administration Building, Bantian;; Longgang District, ShenzhenGuangdong
518129; (CN)
(Applicant designated States: all)

Inventor:

- Wei Jiwei
Huawei Adm. Bldg, Bantian, Longgang District; 518129 Shenzhen, Guangdong Province; (CN)
- Zheng Zhibin
Huawei Adm. Bldg, Bantian, Longgang District; 518129 Shenzhen, Guangdong Province; (CN)
- Li Chao
Huawei Adm. Bldg, Bantian, Longgang District; 518129 Shenzhen, Guangdong Province; (CN)

Legal Representative:

- Epping - Hermann - Fischer (101754)
Patentanwalts-gesellschaft mbH Ridlerstrasse 55; 80339 Munchen; (DE)

	Country	Number	Kind	Date	
Patent	EP	1777640	A1	20070425	(Basic)
Application	EP	2006022156		20061023	
Priorities	CN	200510100660		20051022	

Designated States:

AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES;
FI; FR; GB; GR; HU; IE; IS; IT; LI; LT;
LU; LV; MC; NL; PL; PT; RO; SE; SI; SK;
TR;

Extended Designated States:

AL; BA; HR; MK; YU;

IPC	Level	Value	Position	Status	Version	Action	Source	Office
G06F-0021/20	A	I	F	B	20060101	20070201	H	EP

Abstract Word Count: 105

NOTE: 2

NOTE: Figure number on first page: 2

Type	Pub. Date	Kind	Text
------	-----------	------	------

Publication: English

Procedural: English

Application: English

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200717	1111
SPEC A	(English)	200717	4323
Total Word Count (Document A) 5434			
Total Word Count (Document B) 0			
Total Word Count (All Documents) 5434			

Claims: ...privilege authentication in accordance with the privilege attribute information if the identity authentication result is acceptable .

19. A security authentication method, comprising: a privilege authentication subsystem outputting user's attribute parameter information, wherein the attribute parameter information corresponds to privilege attribute information sent from a user terminal;

a biometric authentication subsystem requesting for biometric recognition parameter...

20/3K/2 (Item 2 from file: 348) [Links](#)

Fulltext available through: [Order File History](#)

EUROPEAN PATENTS

(c) 2008 European Patent Office. All rights reserved.

02018194

Secure transaction management

Gesicherte Transaktionsverwaltung

Gestion de transactions securisees

Patent Assignee:

- Intertrust Technologies Corp.; (2434323)
955 Stewart Drive; Sunnyvale, CA 94085; (US)
(Applicant designated States: all)

Inventor:

- Ginter, Karl L.
10404 43rd Avenue; Beltsville, MD 20705; (US)
- Shear, Victor H.
5203 Battery Lane; Bethesda, MD 20814; (US)
- Sibert, W. Olin
30 Ingleside Road; Lexington, MA 02173-2522; (US)
- Spahn, Francis J.
2410 Edwards Avenue; El Cerrito, CA 94530; (US)
- Van Wie, David M.
51430 Willamette Street; 6 Eugene, OR 97401; (US)

Legal Representative:

- Beresford, Keith Denis Lewis (28273)
BERESFORD & Co. 16 High Holborn; London WC1V 6BX; (GB)

	Country	Number	Kind	Date	
Patent	EP	1621960	A2	20060201	(Basic)
	EP	1621960	A3	20070110	
Application	EP	2005076129		19970829	
Priorities	US	706206		19960830	

Designated States:

AT; BE; CH; DE; DK; ES; FI; FR; GB; GR;

IE; IT; LI; LU; MC; NL; PT; SE;

Related Parent Numbers: Patent (Application):EP 922248 (EP 97939670)

IPC	Level	Value	Position	Status	Version	Action	Source	Office
G06F-0021/00	A	I	F	B	20060101	20060913	H	EP

Abstract Word Count: 51

NOTE: 70

NOTE: Figure number on first page: 70

Type	Pub. Date	Kind	Text
------	-----------	------	------

Publication: English

Procedural: English

Application: English

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200605	249
SPEC A	(English)	200605	180527
Total Word Count (Document A) 180807			
Total Word Count (Document B) 0			
Total Word Count (All Documents) 180807			

Specification: ...SPE service breakdown for which individual service notification addresses may be provided: Channel Services Manager Authentication Manager/Secure Communications Manager Secure Database Manager

The Channel Services Manager is the principal serviceManager 752 supports three subservices: user name services, host name services, and services name services. User name services provides mapping and lookup between user name and user ID numbers, and may...

20/3K/3 (Item 3 from file: 348) [Links](#)

Fulltext available through: [Order File History](#)

EUROPEAN PATENTS

(c) 2008 European Patent Office. All rights reserved.

01626839

Initializing security information on a network device

Initialisierung der Sicherheitsinformation in einem Netzwerkgerät

Initialisation d'information de securite dans un dispositif reseau

Patent Assignee:

- Hewlett-Packard Company; (206037)
3000 Hanover Street; Palo Alto, CA 94304; (US)
(Proprietor designated states: all)

Inventor:

- Robinson, Michael C.
8872 Water Song Circle; Roseville, CA 95747; (US)

Legal Representative:

- Powell, Stephen David et al (52315)
Williams Powell, Morley House, 26-30 Holborn Viaduct; London EC1A 2BP; (GB)

	Country	Number	Kind	Date	
Patent	EP	1341343	A1	20030903	(Basic)
	EP	1341343	B1	20050518	
Application	EP	2003250637		20030131	
Priorities	US	62382		20020201	

Designated States:

DE; FR; GB;

Extended Designated States:

AL; LT; LV; MK; RO;

International Patent Class (V7): H04L-012/24; H04L-029/06Abstract Word Count: 145

NOTE: 2

NOTE: Figure number on first page: 2

Type	Pub. Date	Kind	Text
------	-----------	------	------

Publication: English

Procedural: English

Application: English

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200336	377
SPEC A	(English)	200336	3316
CLAIMS B	(English)	200520	397
CLAIMS B	(German)	200520	361
CLAIMS B	(French)	200520	509
SPEC B	(English)	200520	3216
Total Word Count (Document A) 3694			
Total Word Count (Document B) 4483			
Total Word Count (All Documents) 8177			

Specification: ...application 301 sends the security parameters in an encrypted mode over the network. These security parameters include anything related to security and/or authorization, such as passwords, user authentications, access lists, user keys, authentication keys, privacy keys, context, 802.11 access point keys, encryption/decryption data, registration data, etc...

Specification: ...application 301 sends the security parameters in an encrypted mode over the network. These security parameters include anything related to security and/or authorization, such as passwords, user authentications, access lists, user keys,

authentication keys, privacy keys, context, 802.11 access point keys, encryption/decryption data, registration data, etc...

? t /3,k/all

17/3,K/1 (Item 1 from file: 23) [Links](#)
CSA Technology Research Database

(c) 2008 CSA. All rights reserved.

0004430866 IP Accession No: N94-22537

Recommendations for a service framework to access astronomical archives (Abstract Only)

TRAVISANO, J J; POLLIZZI, J Space Telescope Science Inst., Baltimore, MD.

[TRAVISANO]

Publication Date: 1992

Conference:

NASA, Washington, Second Annual Conference on Astronomical Data Analysis Software and Systems. Abstracts p 106 (SEE N94-22438 05-89) , UNITED STATES

Document Type: Conference Paper

Record Type: Abstract

Language: ENGLISH

File Segment: Aerospace & High Technology

Abstract:

...etc.; Interoperability - transaction/message protocols, distributed processing mechanisms (DCE, ONC/SunRPC, etc), networking protocols, etc.; Security - user registration, authorization/ authentication mechanisms, etc.; Service Directory - service registration, lookup, port/task mapping, parameters, etc.; Software - public vs... ..working in many of these areas. In the process of developing StarView, which is the user interface to the Space Telescope Data Archive and Distribution Service (ST-DADS), these issues and the...

17/3,K/2 (Item 1 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0016842381 & *Drawing available*

WPI Acc no: 2007-557443/200754

XRPX Acc No: N2007-429514

User directed network interaction monitoring providing method for use with voice-capable system, involves receiving user-defined designation during monitored network interaction, where user-defined designations designates data

Patent Assignee: JUNG E K Y (JUNG-I); LEVIEN R A (LEVI-I); LORD R W (LORD-I); MALAMUD M A (MALA-I); RINALDO J D (RINA-I)

Inventor: JUNG E K Y; LEVIEN R A; LORD R W; MALAMUD M A; RINALDO J D

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20070101402	A1	20070503	US 2005263575	A	20051031	200754	B

Priority Applications (no., kind, date): US 2005263575 A 20051031

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20070101402	A1	EN	19	5	

Alerting Abstract ... a computing system comprising a secure user interface application a computer program product comprising instructions to perform user directed network interaction monitoring providing... .. utilizes VIVO technology, thus increasing the number of security systems reliant on voice commands and allowing the users without security risks to present with voice related systems... Original Publication Data by Authority...Claims:A method for use with a voice-capable system, the voice-capable system including a security interface for authenticating a user to the voice-capable system, the method comprising:receiving a request from a user computationally...

17/3,K/3 (Item 2 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0016559532 & *Drawing available*

WPI Acc no: 2007-274470/200727

XRPX Acc No: N2007-204146

Universal security management system for e.g. mobile communication network, has function entities in divided security domains of network, where each domain includes gateway adapting interface of entities to universal interface

Patent Assignee: HUAWEI TECHNOLOGIES CO LTD (HUAW-N)

Inventor: YANG B; YANG BO 5 H A

Patent Family (4 patents, 115 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
EP 1746764	A2	20070124	EP 200615237	A	20060721	200727	B
US 20070022470	A1	20070125	US 2006489932	A	20060720	200727	E
WO 2007009350	A1	20070125	WO 2006CN1623	A	20060710	200727	E
CN 1889452	A	20070103	CN 200510036123	A	20050721	200731	E

Priority Applications (no., kind, date): CN 200510036123 A 20050721

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
EP 1746764	A2	EN	17	8	
Regional Designated States, Original	AL AT BA BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK NL PL PT RO SE SI SK TR YU				
WO 2007009350	A1	ZH			

Alerting Abstract ...210) of the entities to a universal security management interface (USMI) (150) provided by a security management center (SMC) (110). The SMC manages user, authorization and identity verification information of the network, interacts with the entities through the SMGs and with an administrator through a security management user interface (SMUI) (120). ... user management of a universal security management system for network management a method for user authorization of a universal security management system a method for user verification of a universal security management system... ... mobile communication network, that is constituted by network devices provided by various manufacturers, for authorization, user verification, access control and security logging of network management users... ... 120 Security management user interface Original Publication Data by Authority...Original Abstracts:by a security management center can be achieved. Moreover, there is provided a security management user interface to the security administrator. The security management system of the present invention runs through four work flows, i.e., user management, user authorization, user verification, and user authentication. Both the security management gateway and the function entities are logical entities... ... security domain to a universal security management interface. Moreover, there is provided a security management user interface to the security administrator. The security management system of the present invention runs through four work flows, i.e., user management, user authorization, user verification, and user authentication. Both the security management gateway and the function entities are logical entities... ... security manager. The universal security management system is implemented by four steps of user management, user authorization, user authentication and user identification. The security management gateway and functional entity are logic entities...

17/3,K/4 (Item 3 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014825686 & & *Drawing available*

WPI Acc no: 2005-173376/200519

XRPX Acc No: N2005-144548

Contact authentication management and display method in peer-to-peer collaboration system, involves displaying display names equivalent to selected name displayed with conflict indicator and resolving conflict between conflicting names

Patent Assignee: GROOVE NETWORKS INC (GROO-N)

Inventor: ASTHAGIRI N; COTE M; DAI W; EVDOKIMOV A; MOROMISATO G P; OZZIE R E; WEISS A

Patent Family (3 patents, 35 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
CA 2473062	A1	20050131	CA 2473062	A	20040706	200519	B
EP 1513314	A2	20050309	EP 200418074	A	20040730	200519	E
JP 2005327234	A	20051124	JP 2004221235	A	20040729	200577	E

Priority Applications (no., kind, date): US 2003631206 A 20030731

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing	Notes
CA 2473062	A1	EN	65	12		
EP 1513314	A2	EN				
Regional Designated States,Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IT LI LT LU LV MC MK NL PL PT RO SE SI SK TR					
JP 2005327234	A	JA	35			

Alerting Abstract ... ADVANTAGE - Maintains proper user-to-data associations across multiple devices by a simplified and minimal user interface that permits user to easily authenticate other members of a shared space and to encrypt information. Disallows communication with individuals unless their contact identity is manually authenticated or administrator-certified. Prevents confusion... Original Publication Data by Authority...Original Abstracts:created in a peer-to-peer collaborative system by means of a simplified and minimal user interface that permits users to easily authenticate other members of a shared space. In particular, support is provided for automatically building authenticated relationships even if users do not take the time to authenticate other users. When a user enters a shared space and views the contacts in that space, the display names of each contact are accompanied by distinctive icons... ..Claims:may have multiple identities each with an associated display name, comprising:(a) on a graphic user interface, displaying a name conflict indicator next to a first and a second display name, which display names are associated...

17/3,K/5 (Item 4 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014823481 & & *Drawing available*

WPI Acc no: 2005-171170/200518

Related WPI Acc No: 2004-578826; 2005-150696; 2005-221168

XRPX Acc No: N2005-142776

User authenticating system for providing user access to computer system, has process circuit to grant user access to computer system if security information and implicit input matches information related to user

Patent Assignee: MCKEETH J (MCKE-I)
 Inventor: MCKEETH J

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20050021960	A1	20050127	US 2000511092	A	20000223	200518	B
			US 2004877782	A	20040625		

Priority Applications (no., kind, date): US 2000511092 A 20000223; US 2004877782 A 20040625

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes	
US 20050021960	A1	EN	11	4	Continuation of application	US 2000511092
					Continuation of patent	US 6766456

Alerting Abstract ...system has an input device to provide an implicit input to a computer system. A user interface receives security information, and a compare circuit determines whether the information and input match information... ..110 User interface Original Publication Data by AuthorityOriginal Abstracts: A method and system for authenticating a user to access a computer system. The method comprises communicating security information to the computer system, and providing the computer system with an implicit input. The... ..Claims:comprising: an input device configured to communicate an authorization pattern to an electronic device; a user interface configured to receive security information; a compare circuit coupled to the input device and configured to determine whether the authorization pattern matches a stored pattern; a timer configured to measure a duration of time between...

17/3,K/6 (Item 5 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014097634 & *Drawing available*

WPI Acc no: 2004-281377/200426

XRPX Acc No: N2004-223032

Authorization and security management system for computer implemented system, determines whether operation requested by user is valid based on role assigned to user
 Patent Assignee: HON HAI PRECISION IND CO LTD (HONH-N); JIANG Z (JIAN-I); LEE C (LEEC-I); YEH C (YEH-C-I)
 Inventor: JIANG Z; LEE C; YEH C

Patent Family (2 patents, 2 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
---------------	------	------	--------------------	------	------	--------	------

US 20040049677	A1	20040311	US 2002328574	A	20021223	200426	B
TW 583559	A	20040411	TW 2002120667	A	20020911	200468	E

Priority Applications (no., kind, date): TW 2002120667 A 20020911

Patent Details						
Patent Number	Kind	Lan	Pgs	Draw	Filing	Notes
US 20040049677	A1	EN	9	4		
TW 583559	A	ZH				

Authorization and security management system for computer implemented system, determines whether operation requested by user is valid based... Original Titles: Authorization and security management system and method Alerting Abstract DESCRIPTION - An INDEPENDENT CLAIM is also included for authorization and security management method... USE - For authorization and security management of computer implemented system... DESCRIPTION OF DRAWINGS - The figure shows the hardware architecture of the authorization and security management system... Original Publication Data by Authority Original Abstracts: An authorization and security management system includes a plurality of client computers (10), an application server (12), and a database (14). Each client computer includes an interactive user interface (100) for users to send requests for operations. Each client computer is interconnected with the application server through a common network (11), and the application... is interconnected with the database through a database link (13). The application server includes an authorization device (120), a security device (121), and a verification device (122). The authorization device is for maintaining user passwords and assigning roles to users. The security device is for encrypting user passwords and decrypting encrypted passwords. The verification device is for verifying passwords input by users when the users request to log in the system, and for verifying operations requested by users. The... Claims: What is claimed is: 1. An authorization and security management system, comprising: a plurality of client computers, each of the client computers providing an interactive user interface through which a user requests an operation; an application server, comprising: a role defining unit for defining at least one role, the at least one role...

17/3,K/7 (Item 6 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013882194 & *Drawing available*

WPI Acc no: 2004-061104/200406

XRPX Acc No: N2004-049503

Application-level virtual private networking method in enterprise organization, involves authenticating requester message with hash value calculated by connection manager, before forwarding message to external resource

Patent Assignee: ENGELBACH R G (ENGE-I); ENGER J M (ENGE-I); HOLLIS R L

(HOLL-I); THREATGUARD INC (THRE-N)
 Inventor: ENGELBACH R G; ENGER J M; HOLLIS R L

Patent Family (4 patents, 101 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20030229786	A1	20031211	US 2002380727	P	20020515	200406	B

Priority Applications (no., kind, date): US 2002380727 P 20020515; US 2003249877 A 20030514

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
US 20030229786	A1	EN	16	6	Related to Provisional	US 2002380727
WO 2004107646	A1	EN				
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW					
Regional Designated States,Original	AT BE BG CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW					
AU 2003229299	A1	EN			Based on OPI patent	WO 2004107646

Alerting Abstract ... program for application-level virtual private networking; system for application-level virtual private networking; and user interface method. ... ADVANTAGE - By authenticating the requester message with calculated hash value, enables users to securely share application and network resources and ensures that only approved and unaltered applications can access the resources being made availableOriginal Publication Data by AuthorityOriginal Abstracts:A method for enabling users to securely share application information and resources by granting resource owners access to user-application combinations. It provides a means for ensuring that only... A method for enabling users to securely share application information and resources by granting resource owners access to user-application combinations. It provides a means for ensuring that only approved and unaltered...

17/3,K/8 (Item 7 from file: 350) [Links](#)
 Fulltext available through: [Order File History](#).
 Derwent WPIX
 (c) 2008 The Thomson Corporation. All rights reserved.

0013627791 & *Drawing available*
 WPI Acc no: 2003-723416/200369

XRPX Acc No: N2003-578420

Secure resource interacting apparatus for biometric verification/identification techniques has verification/identification system to provide instructions to security server

Patent Assignee: JUNQUA J (JUNQ-I); MATSUSHITA DENKI SANGYO KK (MATU); MATSUSHITA ELECTRIC IND CO LTD (MATU)

Inventor: JUNQUA J; JUNQUA J C

Patent Family (3 patents, 33 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
EP 1343121	A2	20030910	EP 2003251275	A	20030304	200369	B
US 20030171930	A1	20030911	US 200292973	A	20020307	200369	E
JP 2004032685	A	20040129	JP 200362113	A	20030307	200410	E

Priority Applications (no., kind, date): US 200292973 A 20020307

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing	Notes
EP 1343121	A2	EN	14	5		
Regional Designated States,Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR					
JP 2004032685	A	JA	17			

...NOVELTY - A biometric data input system is coupled to the security server to obtain user biometric data from user. A biometric verification/identification system accesses data store to evaluate user biometric data. The verification/identification system provides instructions to the security server and provides control signals for interacting with secure resource. Original Publication Data by Authority...Original Abstracts:determine if the user may control or interact with the secure resource. If interaction is permitted, the security server sends control signals to the secure resource. The telephone system provides an interface through which the user trains the system to store the biometric verification/identification data of that user... .. determine if the user may control or interact with the secure resource. If interaction is permitted, the security server sends control signals to the secure resource. The telephone system provides an interface through which the user trains the system to store the... ..Claims:biometric data input system coupled to said security server and operable to obtain user biometric data from said user;said biometric verification/identification system being configured to access said data store and to evaluate said user biometric...

17/3,K/9 (Item 8 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013304514 & & *Drawing available*

WPI Acc no: 2003-391446/200337

XRPX Acc No: N2003-312668

User identity authentication program storage device for computer, involves establishing security process, enabling authentication procedure on computer and storing secure user acknowledgement

Patent Assignee: PINNACLE TECHNOLOGIES INC (PINN-N)

Inventor: DIRCKS C E; OSMANN E E

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 6542994	B1	20030401	US 1999290114	A	19990412	200337	B

Priority Applications (no., kind, date): US 1999290114 A 19990412

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 6542994	B1	EN	8	3	

User identity authentication program storage device for computer, involves establishing security process, enabling authentication procedure on computer and storing secure user acknowledgement Original Publication Data by Authority...Original Abstracts:preventing unauthorized transactions at either the workstation or network level. The PDF provides a graphic user interface using objects that encapsulate programs with data, such as user preferences, default directories, and access privileges. The Daemon performs many tasks, including starting the PDF, enumerating the windows of the graphic user interface, and recording operations. ...Claims:or restarting the computer operating system; enabling an authentication procedure on the computer by the security process; storing a secure user acknowledgment by the security process which is acceptable to the operating system; and executing the computer operating system.

17/3,K/10 (Item 9 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013255762 & & *Drawing available*

WPI Acc no: 2003-341235/200332

XRPX Acc No: N2003-272942

Secure shell protocol access method for networked computer system, involves providing security policy approval for logical channel allocation by comparing access control permissions with cached session key

Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)

Inventor: HEMSATH D K

Patent Family (2 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20030005178	A1	20030102	US 2001895120	A	20010629	200332	B
US 6851113	B2	20050201	US 2001895120	A	20010629	200511	E

Priority Applications (no., kind, date): US 2001895120 A 20010629

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20030005178	A1	EN	11	5	

Secure shell protocol access method for networked computer system, involves providing security policy approval for logical channel allocation by comparing access control permissions with cached session key ...a user ID to privileges, is associated with the cached session key and ID. A security policy approval is provided to authenticated client requesting logical channel allocation, by comparing access control policy repository... Original Publication Data by AuthorityOriginal Abstracts:An enhanced Secure Shell (SSH) protocol having fine-grained access security policy management and enforcement. Via an authorization application programming interface (aznAPI), remote user protocol connections and sessions may be added to the protected object space of a policy management.... system resources once authenticated, the user is granted permission to access only the system resources allowed in the security policy or policies. ... Secure Shell (SSH) protocol having fine-grained access security policy management and enforcement. Via an authorization application programming interface (aznAPI), remote user protocol connections and sessions may be added to the protected object... and access to system resources once authenticated, the user is granted permission to access only the system resources allowed in the security policy or policies. ...Claims:of privileges;associating said credentials with said cached session key and ID; andperforming a security policy approval responsive to a request allocation of a logical channel, said approval considering permissions set in said access control policy repository in comparison to said cached session key, ID and associated credentials.... fine-grained privileges;catching and associating said credentials with said session key; andperforming a security policy approval responsive to a Secured Shell logical channel allocation request, said approval considering permissions set in

17/3,K/11 (Item 10 from file: 350) [Links](#)

Fulltext available through: [Order File History](#).

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013192542 & *Drawing available*

WPI Acc no: 2003-276221/200327

XRFX Acc No: N2003-219453

Scalable data sharing LAN connected to internet, provides permission rights for accessing respective portions of shared database, when owner and shared access

authentication signals are received
 Patent Assignee: GRP 2MB INC (TWOM-N)
 Inventor: BARRETTE Y; MERCURE J; MERCURE L

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020194295	A1	20021219	US 2001881580	A	20010615	200327	B

Priority Applications (no., kind, date): US 2001881580 A 20010615

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20020194295	A1	EN	18	9	

Alerting Abstract ...ADVANTAGE - Provides to the user a user interface which allows him to access the LAN resources in a flexible way... Original Publication Data by Authority...Original Abstracts:drive servers and more than one email servers. The architecture provides to the user a user interface which allows him to access its resources in a flexible way. ...Claims:connected to said WAN, authenticating a local user and providing an owner authentication signal; a shared database, said shared database comprising said shared data; a permission database, the permission database comprising a relation between at least one user identification, at least one part of said data and said permission rights; a shared access authentication unit, connected to said WAN, the shared access authentication unit authenticating a non local user using said permission database and providing a shared access authentication signal; a database manager, connected to at least said owner authentication unit, to said shared access authentication unit, to said permission database and to said shared database, the database manager, receiving a request from a user and providing an access with permission right to at least one part of said shared data of said shared database with said permission rights if an owner authentication signal or if a shared access authentication signal is received.

17/3,K/12 (Item 11 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013128851 & & *Drawing available*

WPI Acc no: 2003-210926/200320

XRPX Acc No: N2003-168075

Provision system for enhancing peer-to-peer communication services via a data network has peer devices, one with programmable controller and program storage, and peer server

Patent Assignee: GIGAMEDIA ACCESS CORP (GIGA-N)

Inventor: FLOWERS C L; FLOWERS J M; KYAW T R

Patent Family (4 patents, 99 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2003014955	A1	20030220	WO 2002US25030	A	20020807	200320	B
US 20030105812	A1	20030605	US 2001310825	P	20010809	200339	E
			US 2001310826	P	20010809		
EP 1423796	A1	20040602	EP 2002761268	A	20020807	200436	E
			WO 2002US25030	A	20020807		
AU 2002326547	A1	20030224	AU 2002326547	A	20020807	200460	E

Priority Applications (no., kind, date): US 2001310830 P 20010809; US 2001310826 P 20010809; US 2001310825 P 20010809; US 2001316039 P 20010831; US 2001316008 P 20010831; US 2001315986 P 20010831; US 2001338640 P 20011211; US 2002353204 P 20020204; US 2002212742 A 20020807

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
WO 2003014955	A1	EN	73	14		
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW					
Regional Designated States,Original	AT BE BG CH CY CZ DE DK EA EE ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SK SL SZ TR TZ UG ZM ZW					
US 20030105812	A1	EN			Related to Provisional	US 2001310825
					Based on OPI patent	WO 2003014955
Regional Designated States,Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR					
AU 2002326547	A1	EN			Based on OPI patent	WO 2003014955

...NOVELTY - The system includes several peer devices, each with a user interface and a network interface for enabling communications over a data network. A peer server, coupled... Original Publication Data by Authority...Original Abstracts:to-peer communications. The hybrid architecture allows centralized administration and policy management of authentication, obstacle transversal and security methods, to ensure the overall system integrity required by business systems. Typical peer user devices... .. communications. The hybrid architecture allows centralized administration and policy management of authentication, obstacle transversal and security methods, to ensure the overall system integrity required by business systems. Typical peer user devices implement peer client programming, for signaling communication with the server and for peer-to... ..Claims:via a data network, comprising:a plurality of peer devices, each peer device having a user interface and a network interface for enabling communications over the data network;a peer server, coupled for data communication via the data network, for providing session

establishment...

17/3,K/13 (Item 12 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0012816421 & & *Drawing available*

WPI Acc no: 2002-673876/200272

XRPX Acc No: N2002-532802

Network information handling system for client server environment, includes server application with user interface running on server, having shared access data tier, client and server application code tier

Patent Assignee: XEROX CORP (XERO)

Inventor: CHOU C; CHOU C S

Patent Family (3 patents, 2 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020099796	A1	20020725	US 2001768148	A	20010123	200272	B
JP 2002304296	A	20021018	JP 200211238	A	20020121	200301	E
US 7127677	B2	20061024	US 2001768148	A	20010123	200670	E

Priority Applications (no., kind, date): US 2001768148 A 20010123

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20020099796	A1	EN	16	4	
JP 2002304296	A	JA	14		

Network information handling system for client server environment, includes server application with user interface running on server, having shared access data tier, client and server application code tier Alerting Abstract ...NOVELTY - A server application comprising user interface running on a server. The application has client application code tier (310) for initiating processing... ..interface which allows the user of the server application to customize or create their own user interface. Readily adaptable to internal charge back rather than payment... Original Publication Data by Authority...Original Abstracts:to access the server computer system. The system further includes a server application comprising a user interface running on the server computer system and having a multi-tier architecture. The multi-tier architecture includes a first... .. to allow a user, such as a system administrator or the like, to customize the user interface. In a further aspect, a method of customizing a server application is also provided. ...Claims:plurality of users to access the server computer system; and a server application comprising a user interface running on the server computer system, the server application having a multi-tier architecture comprising a first tier of client application code for initiating processing by the

server application in... a third tier of shared access and data code; an application programming interface configured to allow customization of the user interface. ... requisition for the verified user requested print on demand items;a server application comprising a user interface running on the server computer system, the server application having a multi-tier architecture comprising... to input by a user of the client computer system, a middle tier of object-oriented server application code, and a third tier of shared access and data code; andan application programming interface configured to allow customization of the user interface,wherein the customizable system is configured to allow a first user to access a first

17/3,K/14 (Item 13 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0012467817

WPI Acc no: 2002-414148/200244

XRPX Acc No: N2002-325573

Financial transaction facilitating system in real estate through Internet, presents terms of transaction and documents to participants based on appropriate rule

Patent Assignee: CLOSINGGUARD.COM INC (CLOS-N); LEWIS R (LEWI-I); MILLER G S (MILL-I)

Inventor: LEWIS R; MILLER G S

Patent Family (3 patents, 93 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020029194	A1	20020307	US 2000657019	A	20000907	200244	B
			US 2001948247	A	20010907		
WO 2002021405	A1	20020314	WO 2001US28170	A	20010907	200244	E
AU 200188936	A	20020322	AU 200188936	A	20010907	200251	E

Priority Applications (no., kind, date): US 2000657019 A 20000907; US 2001948247 A 20010907

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes	
US 20020029194	A1	EN	30	10	C-I-P of application	US 2000657019
WO 2002021405	A1	EN				
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW					
Regional Designated States,Original	AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR					
AU 200188936	A	EN			Based on OPI patent	WO 2002021405

Alerting Abstract ... medium stored with financial transaction facilitating provision program;Financial transaction monitoring and managing system;Graphical user interface for managing transactionsOriginal Publication Data by Authority...Original Abstracts:automatically calculates all required payments, arranges for the electronic transfer of funds upon input by the participants of final authorization, accompanied by digital verification, and creates audit records of the final transaction details...

17/3,K/15 (Item 14 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0011152358 & *Drawing available*

WPI Acc no: 2002-089522/200212

Related WPI Acc No: 2002-041135

XRPX Acc No: N2002-066013

Secure communication system e.g. Internet system, has cryptographic token storing key information and actuating security module to encrypt and decrypt data

Patent Assignee: KRYPTON SOFTWARE LTD (KRYPT-N)

Inventor: LARAYA J L R; SOLOMOS G; SOLOMOS G H

Patent Family (3 patents, 88 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2001044899	A1	20010621	WO 2000CA1481	A	20001213	200212	B
AU 200119790	A	20010625	AU 200119790	A	20001213	200212	E
CA 2296208	A1	20010613	CA 2296208	A	20000117	200212	E

Priority Applications (no., kind, date): CA 2292063 A 19991213; CA 2296208 A 20000117

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes		
WO 2001044899	A1	EN	62	15			
National Designated States,Original	AE AL AM AT AU AZ BA BB BG BR BY CH CN CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW						
Regional Designated States,Original	AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SI SZ TR TZ UG ZW						
AU 200119790	A	EN			Based on OPI patent		WO 2001044899
CA 2296208	A1	EN					

Original Publication Data by Authority...Original Abstracts:a PC card, and IC card or a Smart Card having a contact sensitive graphical user interface (40). The token (24) captures through the interface (40) a template associated with a user's ideogram signature information... .. The template is then compared with subsequent inputs of this ideogram signature information from the user and verified to enable the cryptographic token to function with the security module (22). The cryptographic token (24) may have either an independent power source permitting the... .. token device (24) which must be enabled by a user and temporarily connected with the security module (22) to permit the use of the user information...

17/3,K/16 (Item 15 from file: 350) [Links](#)
 Fulltext available through: [Order File History](#)
 Derwent WPIX
 (c) 2008 The Thomson Corporation. All rights reserved.

0008841144 & & *Drawing available*

WPI Acc no: 1998-387567/199833

Related WPI Acc No: 2000-637079

XRPX Acc No: N1998-302293

Automated financial instrument processing system e.g. for money orders in financial establishment - includes security processor which restricts access to printer for printing financial instrument after confirming identity of user and selected printer

Patent Assignee: FIRST DATA CORP (FIRS-N)

Inventor: CUSTY J M; KNOLL B L; SUGUIRA S; WALSH B W

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 5774879	A	19980630	US 1993173907	A	19931227	199833	B
			US 1996732159	A	19961016		

Priority Applications (no., kind, date): US 1993173907 A 19931227; US 1996732159 A 19961016

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 5774879	A	EN	23	28	Continuation of application US 1993173907

Alerting Abstract ...A security processor restricts access to selected functions after confirming identity of the user. The security processor compares unique identifier associated with a specific printer and a stored identifier to confirm... Original Publication Data by Authority...Original Abstracts:allow for the configuration and customization of the execution control processor (10) and a graphical user interface (18). A communications processor (20) is provided to establish network connection with a host computer. Context-sensitive help is... Claims:A data processing system operable to process financial

instruments, comprising: a graphical user interface operable to present a plurality of options to a user of the system; a data base processor operable to... of the system prior to allowing access to the printer for printing the financial instruments, the security processor being further operable to compare a unique identifier associated with a particular printer, to...

17/3,K/17 (Item 16 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0006852921 & & *Drawing available*

WPI Acc no: 1994-242471/199430

Related WPI Acc No: 1999-048323

XPX Acc No: N1994-191324

Secure system for transmission of facsimile messages - includes communication modules establishing contact between facsimile machines prior to data transmission

Patent Assignee: ETAT FR MIN POSTES (ETFR); FRANCE TELECOM (ETFR);

FRANCE TELECOM ETAB AUTONOME (ETFR); LA POSTE (ETFR)

Inventor: GIRAULT M; LE C H; LE CORRE H; REVILLET M; REVILLET M J

Patent Family (6 patents, 5 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
EP 609142	A1	19940803	EP 1994400164	A	19940126	199430	B
FR 2700905	A1	19940729	FR 1993867	A	19930128	199432	E
JP 7046414	A	19950214	JP 19947876	A	19940127	199516	E
US 5555307	A	19960910	US 1994188052	A	19940126	199642	E
EP 609142	B1	19990901	EP 1994400164	A	19940126	199940	E
			EP 1998203239	A	19940126		
DE 69420292	E	19991007	DE 69420292	A	19940126	199947	E
			EP 1994400164	A	19940126		

Priority Applications (no., kind, date): FR 1993867 A 19930128

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
EP 609142	A1	FR	6	2		
Regional Designated States,Original	DE GB					
JP 7046414	A	JA	9			
US 5555307	A	EN	7	2		
EP 609142	B1	FR			Related to application	EP 1998203239
					Related to patent	EP 887997
Regional Designated States,Original	DE GB					
DE 69420292	E	DE			Application	EP 1994400164
					Based on OPI patent	EP 609142

Alerting Abstract ...The source machine also includes a security system with a user interface module (16), and a security module (17) which allows the production and verification of digital signatures. The operator of the source terminal is able... Original Publication Data by AuthorityOriginal Abstracts: The invention relates to an apparatus for secure facsimile transmission comprising: - a user interface (16) making it possible to set up a dialogue with the latter; - a security module (17) allowing production and verification of digital signatures, and combating reproduction. The invention also relates to a secure... a secured telecopier or fax unit having such a security device. The device incorporating a user interface (16) permitting the establishment of a dialogue therewith and a security module (17) permitting the production and checking of digital signatures and preventing replay. The invention also relates to a fax unit including... Claims: 1. Device for rendering secure the transmission of faxes comprising a user interface (16) making it possible to establish a dialogue therewith, characterized in that it comprises a security module (17) making it possible to detect replays, prevent a retransmission of a document to the same recipient without the... reader individual to the user and in which are stored: - a first secret element which is a confidential code enabling the card to authenticate its legitimate owner, - a second secret element (SA) enabling the card of the transmitter to calculate a... We claim: Device for rendering secure the transmission of faxes comprising a user interface and a security module, said security module being operable to generate and check a plurality... signatures including an operator digital signature and a transmission date and time digital signature, said security module including means for authenticating the operator, means for verifying transmission and reception, and means for...

? t /3,k/all

19/3,K/1 (Item 1 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)
Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014402581 & *Drawing available*

WPI Acc no: 2004-592186/200457

Related WPI Acc No: 2003-299218; 2004-812786

XRPX Acc No: N2004-468372

End-to-end communication establishing method, involves generating shared symmetric key set during the security transaction, and assigning key to communications channel accessible to security token

Patent Assignee: ACTIVCARD INC (ACTI-N); BECQUART J A M (BECQ-I); LE SAINT E F (LSAI-I); WEN W (WENW-I)

Inventor: BECQUART J A M; LE SAINT E; LE SAINT E F; WEN W

Patent Family (2 patents, 34 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20040143730	A1	20040722	US 2001880795	A	20010615	200457	B
			US 2003424783	A	20030429		

			US 2003740920	A	20031222		
EP 1473869	A1	20041103	EP 2004291089	A	20040427	200472	E

Priority Applications (no., kind, date): US 2001880795 A 20010615; US 2003424783 A 20030429; US 2003740920 A 20031222

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes	
US 20040143730	A1	EN	23	3	C-I-P of application	US 2001880795
					C-I-P of application	US 2003424783
EP 1473869	A1	EN				
Regional Designated States,Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IT LI LT LU LV MC MK NL PL PT RO SE SI SK TR					

Alerting Abstract ... ADVANTAGE - The method provides efficient end-to-end communication connection for securely exchange information between the security token and computer system. The communication channel is provided to prevent concurrent wireless connection from being established with the security tokens... Original Publication Data by Authority...Original Abstracts:PKI key pair (210, 210') associated with the cryptographic module (75). The secure communications pathway allows presentation of critical security parameter (CSP) without clear text disclosure of the CSP and further allows use of the generated session keys as... .. implementation over a wireless connection. The invention allows the securely exchange of information between a security token enabled computer system and an intelligent remote device having an operatively coupled security token thereto... .. anonymous secure messaging channel between the security token and the security token enabled computer system, which allows the intelligent remote device to emulate a locally connected security token peripheral device without requiring a physical connection. A dedicated wireless communications channel is incorporated... ..Claims:to a dedicated communications channel accessible to said security token, and, performing a second security transaction which authenticates a user to said security token.

19/3,K/2 (Item 2 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013594908 & & *Drawing available*

WPI Acc no: 2003-689847/200365

Related WPI Acc No: 2003-697671; 2003-697685

XXPX Acc No: N2003-551144

Funds transferring method for vending machines, involves receiving authorization to debit source of funds for amount of funds from information in user computer and sending electronic message about authorized amount of funds

Patent Assignee: COINSTAR INC (COIN-N); DEAN S A (DEAN-I); DORAN M (DORA-I); HANSON K P (HANS-I); JOCOBSON J (JOCO-I); SMITH K (SMIT-I); JEFFUS S C

(JEFF-I); ROWAN P (ROWA-I); WAECHTER M L (WAECH-I)

Inventor: DEAN S A; DORAN M; HANSON K P; JACOBSON J; JOCOBSON J; MARTIN D A; SMITH K; JEFFUS S C; ROWAN P; WAECHTER M L

Patent Family (5 patents, 101 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2003071386	A2	20030828	WO 2003US4601	A	20030214	200365	B
AU 2003211085	A1	20030909	AU 2003211085	A	20030214	200427	E
EP 1481351	A2	20041201	EP 2003742772	A	20030214	200478	E
			WO 2003US4601	A	20030214		
US 20060069642	A1	20060330	US 2002357331	P	20020215	200624	E
			US 2002357555	P	20020215		
			US 2002419735	P	20021018		

Priority Applications (no., kind, date): US 2002357555 P 20020215; US 2002357331 P 20020215; US 2002419735 P 20021018; US 2002424377 P 20021106; WO 2003US4600 A 20030214; US 2005504438 A 20050412; US 2005504437 A 20050413; US 2005294637 A 20051205

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes	
WO 2003071386	A2	EN	52	11		
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW					
Regional Designated States,Original	AT BE BG CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT SD SE SI SK SL SZ TR TZ UG ZM ZW					
AU 2003211085	A1	EN			Based on OPI patent	WO 2003071386
EP 1481351	A2	EN			PCT Application	WO 2003US4601
					Based on OPI patent	WO 2003071386
Regional Designated States,Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR					

...funds for amount of funds from information in user computer and sending electronic message about authorized amount of funds ...amount. An electronic message is sent to the address to inform the user about the authorized funds. Original Publication Data by Authority...Original Abstracts:example, a prepaid cash card can visit one of the value exchange machines, select the desired transaction, and pay for the card with coins, currency, a credit card, a debit card, and... ... a prepaid cash card can visit one of the value exchange machines, select the desired transaction, and pay for the card with coins, currency, a credit card, a debit card, and/or bank account funds. After confirming payment, the value exchange machine dispenses the card to the user. bank account funds. After confirming

payment, the value exchange machine dispenses the certificate to the user, who can then go on-line to make purchases from an associated retailer with the certificate...Claims:to the second user, an electronic address of the second user, and a source of funds;receiving an authorization to debit the source of funds for the amount of funds; andin response to... .. message to the electronic address of the second user to inform the second user of the amount of funds that has been authorized for transfer to the second user.

19/3,K/3 (Item 3 from file: 350) [Links](#)
 Fulltext available through: [Order File History](#)
 Derwent WPIX
 (c) 2008 The Thomson Corporation. All rights reserved.

0012630289 & *Drawing available*
 WPI Acc no: 2002-479089/200251
 XRPX Acc No: N2002-378351
 Local electronic commerce between consumers and distributors, involves using consumer's terminal to access server and provide data on local area to server, which in turn provides database to terminal
 Patent Assignee: GBO INC (GBOG-N); HAN D J (HAND-I)
 Inventor: HAN D J

Patent Family (2 patents, 2 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020055881	A1	20020509	US 2001865020	A	20010524	200251	B
KR 2002036303	A	20020516	KR 200066438	A	20001109	200273	E

Priority Applications (no., kind, date): KR 200066438 A 20001109

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20020055881	A1	EN	11	3	

Alerting Abstract ... personal credit information, by completely separating consumers from distributors. Reduces logistics and delivery costs of commodities. Even allows consumer to purchase commodities from shopping malls linked to local electronic commerce server, without requiring consumer to repeatedly register at server as member. Need not require user to search through internet shopping malls. Enables consumer to confirm whether his/her orders are received, as well as reliably transact for commodities sold by familiar transaction partners within local area. Promotes purchase desires of consumer. Improves service... Original Publication Data by Authority...Original Abstracts:distributors' terminal and settles payment of the fees of the order commodities. The consumer ultimately exchanges the transaction receipt with the commodities. The invention enables ordinary consumers who are not familiar with the internet or computers to...

19/3,K/4 (Item 4 from file: 350) [Links](#)
 Fulltext available through: [Order File History](#)
 Derwent WPIX
 (c) 2008 The Thomson Corporation. All rights reserved.

0012469480

WPI Acc no: 2002-415845/200244

XRPX Acc No: N2002-327170

Electronic fund transfer recording system for automatic-teller machine, debits or credits electronic funds in exchange for goods on receipt, based on signal received from transmitter

Patent Assignee: ARDENT TECHNOLOGY (ARDE-N)

Inventor: CURTIS K; RICHARDS D; RUNION B

Patent Family (2 patents, 24 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2002021377	A1	20020314	WO 2001US27168	A	20010830	200244	B
AU 200188595	A	20020322	AU 200188595	A	20010830	200251	E

Priority Applications (no., kind, date): US 2000231393 P 20000908; US 2001231393 A 20010829

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes		
WO 2002021377	A1	EN	41	7			
National Designated States,Original	AU CA JP MX ZA						
Regional Designated States,Original	AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR						
AU 200188595	A	EN			Based on OPI patent	WO 2002021377	

...to a transaction node. A node receiver of the transaction node communicates receipt of electronic fund to a payment acceptor . The payment acceptor debits or credits the electronic funds received at the transaction node in exchange of goods services. Original Publication Data by AuthorityOriginal Abstracts:A system for transmitting and recording the transfer of electronic funds to a payment acceptor includes a personal data unit (8) and transaction node (5). The personal data unit (8) includes a microprocessor (20)... receiving a signal from the data transmitter (26), the node receiver signals receipt of electronic funds to the payment acceptor which in turn, debits or credits the electronic funds received in exchange for goods or services. In an optional... transaction and information database for tracking transactions and, optionally, storing identity validation data (28) to verify the identity of users transacting electronic funds. A transaction hub (11) is optionally used to exchange electronic funds for cash or credit...

19/3,K/5 (Item 5 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0010823840 & Drawing available

WPI Acc no: 2001-441044/200147

XRPX Acc No: N2001-326280

Automated securities trading system generates transfer message in response to acknowledgement to transfer stock to customer

Patent Assignee: NETRADE LLC (NETR-N)

Inventor: DAVID J S; KRICHEFF D

Patent Family (3 patents, 92 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2001015000	A1	20010301	WO 2000US22987	A	20000822	200147	B
AU 200069238	A	20010319	AU 200069238	A	20000822	200147	E
US 6493683	B1	20021210	US 1999378815	A	19990823	200301	E

Priority Applications (no., kind, date): US 1999378815 A 19990823; US 2000527419 A 20000317

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes	
WO 2001015000	A1	EN	39	7		
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW					
Regional Designated States,Original	AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TZ UG ZW					
AU 200069238	A	EN			Based on OPI patent	WO 2001015000

Original Publication Data by AuthorityOriginal Abstracts:A system and method of trading commodities includes an open commodities exchange server which can be accessed by registered customers. Registration of the customers with the system... ... A system and method of trading commodities includes an open commodities exchange server (12) which can be accessed by registered customers (14-22). Registration of customers with the system includes... Claims:We claim:1. A commodity trading system for allowing commodity trading between a first and a second customer, wherein each commodity has a variable exchange rate, said system comprising:a first data... ... a commodity being held by a custodian facility on behalf of said first customer;an exchange server being in communication with said first data base and to said first customer and receiving an order for sale of said security, said exchange server being arranged to confirm that said first customer

has rights to said commodity by contacting said first data base and to securitize said commodity for said order;said system adapted to display said order to a second customera...
... a second data base and to said second customer and receiving an order from said second consumer to exchange its assets for those displayed by the first customer, said exchange server being arranged to... .. server is constructed and arranged to lock the commodities and initiate the settlement of the trade.>

? t /3,k/all

21/3,K/1 (Item 1 from file: 2) [Links](#)

Fulltext available through: [STIC Full Text Retrieval Options](#)

INSPEC

(c) 2008 Institution of Electrical Engineers. All rights reserved.

09673941

Title: Perceived security determinants in e-commerce among Turkish university students

Author Yenisey, M.M.; Ozok, A.A.; Salvendy, G.

Author Affiliation: Dept. of Ind. Eng., Istanbul Tech. Univ., Turkey

Journal: Behaviour and Information Technology vol.24, no.4 p. 259-74

Publisher: Taylor & Francis ,

Publication Date: July 2005 Country of Publication: UK

CODEN: BETD5 ISSN: 0144-929X

SICI: 0144-929X(200507)24:4L:259:PSDC;1-7

Material Identity Number: D660-2005-004

Item Identifier (DOI): [10.1080/0144929042000320992](#)

Language: English

Subfile: C D

Copyright 2005, IEE

Abstract: ...users during shopping, and to develop guidelines for perceived security in e-commerce. An experiment allowed users with different security assurances to shop on simulated e-commerce sites. The participants were divided into three groups....fourteen perceived security items, was presented to the users. The VSSQ was presented to the participants to validate these perceived security items. The VSSQ had a Cronbach's alpha internal reliability value of 0.70. With....site; Web site's encryption strategy; and consolidation with network security vendors. The perceived policy-related factor includes: the Web site's emphasis on network security; top management commitment; effort to make...

21/3,K/2 (Item 1 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0017147273 & & *Drawing available*

WPI Acc no: 2007-862221/200780

XRPX Acc No: N2007-685353

Safe interactive method for user to access softswitch network

Patent Assignee: ZTE COMMUNICATION CO LTD (ZTEC-N)

Inventor: CAO G; QUAN H; ZHAO J

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
CN 1992710	A	20070704	CN 200510130751	A	20051227	200780	B

Priority Applications (no., kind, date): CN 200510130751 A 20051227

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
CN 1992710	A	ZH		1	

...is applied to IP network system based on softswitch, comprises following steps, step one, set user terminal authentication security parameter group on user terminal, set broadband access gateway authentication security parameter group on broadband access gateway, set user terminal authorization security parameter group which is corresponding to user terminal authentication security parameter group and broadband access gateway authorization security parameter group which is corresponding to broadband access gateway authentication security parameter group on security authentication server; step two, access user terminal to softswitch kernel control device through broadband access gateway; step three, user terminal system processing authentication; broadband access gateway processing security protection to message between user terminal and softswitch kernel control device according to broadband access...

21/3,K/3 (Item 2 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0016025307 & & *Drawing available*

WPI Acc no: 2006-556937/200657

XRPX Acc No: N2006-446813

Computer readable medium for updating secure boot process on computer, stores instructions for obtaining secret values for securely booting the computer, by transmitting measured updated data to hardware security module

Patent Assignee: MICROSOFT CORP (MICT)

Inventor: ENGLAND P; HUMPHRIES R; HUNTER J; RAY K D; SCHWARTZ J;

SCHWARTZ J A; THOM S

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20060161784	A1	20060720	US 200536018	A	20050114	200657	B

Priority Applications (no., kind, date): US 200536018 A 20050114

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20060161784	A1	EN	18	8	

Original Publication Data by Authority...Original Abstracts:an original state. In situations where this type of recovery is not workable, techniques for authenticating a user may be used, allowing the authenticated user to bypass the security features of the boot process and reveal the boot secrets to platform configuration register (PCR) values that may have...
...Claims:that accesses recorded values, compares submitted values to the recorded values, and releases a secret if the submitted values match the recorded values, said computer readable medium comprising:instructions for securely booting a computer, comprising:instructions for measuring data involved in a boot process;instructions for submitting...

21/3,K/4 (Item 3 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0015128118 & *Drawing available*

WPI Acc no: 2005-477651/200548

XXPX Acc No: N2005-388825

Method for accessing security token enabled computer system, involves authenticating critical security parameter provided to security token operatively coupled to intelligent remote device

Patent Assignee: ACTIVCARD INC (ACTI-N); FEDRONIC D L J (FEDR-I); LE SAINT E F (LSAI-I)

Inventor: FEDRONIC D L J; LE SAINT E F

Patent Family (2 patents, 37 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20050136964	A1	20050623	US 2003740497	A	20031222	200548	B
EP 1549018	A1	20050629	EP 2004293088	A	20041222	200548	E

Priority Applications (no., kind, date): US 2003740497 A 20031222

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20050136964	A1	EN	20	3	
EP 1549018	A1	EN			
Regional Designated States,Original	AL AT BA BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK NL PL PT RO SE SI SK TR YU				

Alerting Abstract ...established between an intelligent remote device, and security token enabled computer system. A critical security parameter associated with a user is provided to a security token operatively coupled to the intelligent remote... ADVANTAGE - Allows the intelligent remote device to emulate a local security device peripheral connected to the computer system... Original Publication Data by Authority...Original Abstracts:device. Additionally, various secure communications connections mechanisms are described which are intended to augment existing security protocols available using wireless network equipment. Authentication of a user supplied critical security parameter is performed by the security token. The critical security parameter may be provided locally via the intelligent remote device or... device. Additionally, various secure communications connections mechanisms are described which are intended to augment existing security protocols available using wireless network equipment. Authentication of a user supplied critical security parameter is performed by the security token. The critical security parameter may be provided locally via the intelligent remote device or received from the wireless network and routed to the security token. Aural, visual or vibratory feedback may be provided to the user to signal a successful authentication transaction...Claims:intelligent remote device and a security token enabled computer system,b. providing a critical security parameter associated with a user to a security token operatively coupled to said intelligent remote device, andc. authenticating said critical security parameter by said security.... least an intelligent remote device and a security token enabled computer system,b. providing a critical security parameter associated with a user to a security token operatively coupled to said intelligent remote device, andc. authenticating said critical security parameter by said security token.

21/3,K/5 (Item 4 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0015023414 & & *Drawing available*

WPI Acc no: 2005-371391/200538

XRPX Acc No: N2005-300469

Source location indication recording method in electronic data gathering analysis and retrieval system, involves storing indication of identified source location comprising data structure, in electronic file storage

Patent Assignee: NEWRIVER INC (NEWR-N)

Inventor: GARRE S; LEVERING J B; VAISH M K

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20050102313	A1	20050512	US 2003461311	P	20030408	200538	B
			US 2004821121	A	20040408		

Priority Applications (no., kind, date): US 2003461311 P 20030408; US 2004821121 A

20040408

Patent Details						
Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
US 20050102313	A1	EN	20	9	Related to Provisional	US 2003461311

Alerting Abstract ... ADVANTAGE - Enables allowing the user to verify the data element related to funds and securities efficiently.

21/3,K/6 (Item 5 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014883450 & & *Drawing available*

WPI Acc no: 2005-231189/200524

XRPX Acc No: N2005-190334

Distributed application user protection method e.g. for web application user, involves associating security value with set of commands of distributed application

Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)

Inventor: KAUFMAN C W; MILLER D J; ZURKO M E

Patent Family (1 patents, 1 & countries)							
Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20050039002	A1	20050217	US 2003630283	A	20030729	200524	B

Priority Applications (no., kind, date): US 2003630283 A 20030729

Patent Details						
Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
US 20050039002	A1	EN	8	2		

Distributed application user protection method e.g. for web application user, involves associating security value with set of commands of distributed application Original Publication Data by Authority...Original Abstracts:the server, and then sent to the user along with session information. Thereafter, the security value is associated with a set (e.g., one or more) of commands of the distributed application. When... .. thereto is checked for the security value. If the value is present, the command is permitted. However, if the security value is not present, the command is not permitted and an error message is returned... ..Claims:protecting a distributed application user, comprisingproviding a distributed application on a server;determining a security value for an authenticated user of the distributed application;associating the security value with a set of commands of the distributed application;receiving one of the set of commands on the server from the

authenticated user; and checking the one command for the security value.

21/3,K/7 (Item 6 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014459952 & *Drawing available*

WPI Acc no: 2004-651184/200463

XRPX Acc No: N2004-515145

Web site management system for administering web site owner's authentication parameter off-line, has transaction set formation module combining and formatting end-user and access table generation module entries to control access

Patent Assignee: ALDEN K A (ALDE-I); CREATIVE SOLUTIONS UNLIMITED (CREA-N)

Inventor: ALDEN K; ALDEN K A

Patent Family (3 patents, 107 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20040168066	A1	20040826	US 2003449397	P	20030225	200463	B
			US 2004785183	A	20040225		
WO 2004077794	A2	20040910	WO 2004US5452	A	20040225	200463	E
EP 1602049	A2	20051207	EP 2004714568	A	20040225	200580	E
			WO 2004US5452	A	20040225		

Priority Applications (no., kind, date): US 2003449397 P 20030225; US 2004785183 A 20040225

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes	
US 20040168066	A1	EN	20	4	Related to Provisional	US 2003449397
WO 2004077794	A2	EN				
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW					
Regional Designated States,Original	AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW					
EP 1602049	A2	EN			PCT Application	WO 2004US5452
					Based on OPI patent	WO 2004077794
Regional Designated States,Original	AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR					

Alerting Abstract ... authentication system by minimizing network connection times during authentication and update periods. The system provides acceptable levels of security at a reasonable cost and permits computer users with rudimentary skill levels to manage a web site owner's authentication parameters in a secure manner... Original Publication Data by Authority...Claims:generation module linked to the end-user table generation module that generates and manages authentication parameters of end-users off-line to permit the end-users access to the Web site owner's...

21/3,K/8 (Item 7 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0014413062 & & *Drawing available*

WPI Acc no: 2004-603044/200458

XRPX Acc No: N2004-477004

User authenticating method for business organization, involves determining whether user is authentic, by comparing stored user biometric information and received biometric information based on retrieved authentication profile

Patent Assignee: AC TECHNOLOGY INC (ACTE-N); SANDS A J (SAND-I); SANDS C A (SAND-I); SANDS J M (SAND-I)

Inventor: SANDS A J; SANDS C A; SANDS J M

Patent Family (2 patents, 106 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20040148526	A1	20040729	US 2003350003	A	20030124	200458	B
WO 2004068283	A2	20040812	WO 2004US1702	A	20040123	200458	E

Priority Applications (no., kind, date): US 2003350003 A 20030124

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20040148526	A1	EN	14	4	
WO 2004068283	A2	EN			
National Designated States,Original	AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW				
Regional Designated	AT BE BG BW CH CY CZ DE DK EA EE ES FI FR				

States,Original	GB GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW
-----------------	---

Alerting Abstract ...biometric information based on retrieved authentication profile with the received biometric information based on the authentication profile. If the user is not found authentic a security policy revokes the user's access privileges or causes a successful login attempt, while authorities... authentication at a server, thereby enhancing computer network security. The authentication policy is flexible and allows the biometric authentication to be implemented at any computer or location within the network to be... Original Publication Data by Authority...Original Abstracts:de correspondance biometrique sur la base de l'emplacement de l'ordinateur, de l'heure et d'autres conditions de securite. Si l'utilisateur ne correspond pas a la personne autorisee, une politique de...

21/3,K/9 (Item 8 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013795772 & *Drawing available*

WPI Acc no: 2003-895746/200382

XPX Acc No: N2003-714679

Secure remote access system e.g. cable modem, has unit for detecting security of incoming message from central remote security and allowing message write access to protected register, only when security is verified

Patent Assignee: INTEL CORP (ITLC)

Inventor: LOUKIANOV D

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 6636971	B1	20031021	US 1999366426	A	19990802	200382	B

Priority Applications (no., kind, date): US 1999366426 A 19990802

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 6636971	B1	EN	7	3	

...e.g. cable modem, has unit for detecting security of incoming message from central remote security and allowing message write access to protected register, only when security is verified ...register (104). A unit detects the security of an incoming message from a central remote security and allows the message write access to the protected register.

Original Publication Data by Authority...Claims:is claimed is:1. A secure remote access system, comprising:a first non protected storage element associated with a first end-user device;a second, protected storage element that stores protected information, also associated with said first end-user device;a data transfer... .. element; and a security element, detecting security of an incoming message from a central remote authority, which his remote from the end-user device, and allowing said incoming message write access to said second protected storage element, only when security is verified by said data transfer mechanism wherein said security element includes a digital signature verifying element, which operates both on incoming data and on a digital signature associated with said incoming data, to verify that said incoming data is associated with said digital signature.

21/3,K/10 (Item 9 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013669806 & & *Drawing available*

WPI Acc no: 2003-766216/200372

XRPX Acc No: N2003-613715

Security object generation method for data processing system, involves setting attributes defining characteristics of security object data, and encapsulating set attributes and security object data

Patent Assignee: INT BUSINESS MACHINES CORP (IBM)

Inventor: HIMMEL M A; RODRIQUEZ H; SMITH N J; SPINAC C J

Patent Family (2 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20030159059	A1	20030821	US 2001942634	A	20010830	200372	B
US 7093298	B2	20060815	US 2001942634	A	20010830	200654	E

Priority Applications (no., kind, date): US 2001942634 A 20010830

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing	Notes
US 20030159059	A1	EN	27	15		

Alerting Abstract ... the attributes which define the type of security object is encapsulated with the security object data, the user is allowed to define the security object without limitations, irrespective of the server application. Provides greater freedom for defining the security content and level of security. Deciphering of object... Original Publication Data by Authority...Claims:for use in securing an item, comprising: receiving security object data; setting one or more attributes associated with the security object data, wherein the one or more attributes include a user designation of a security object type; and encapsulating the security object data and the... .. What is claimed is:1. A computer-implemented method of generating a security object for use in authenticating a user to access an item, comprising

computer-implemented steps of: receiving security object data; setting one or more attributes associated with the security object data, wherein the one or more attributes include a user designation of a security object type; and encapsulating, within the security object, the security object data and the one or more attributes with one or more methods, wherein the security object is used to authenticate the user by validating an identity of the user using at least one of the one or more methods encapsulated within the security object.

21/3,K/11 (Item 10 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0013228692 & *Drawing available*

WPI Acc no: 2003-313549/200330

Related WPI Acc No: 2003-219717; 2003-220107; 2004-410061

XRPX Acc No: N2003-249613

Video security system for monitoring premises remotely in which remote authorized users can access security features such as changing passwords, setting permissions, etc. without going through central server

Patent Assignee: FELDKAMP G E (FELD-I); GLASGOW W P (GLAS-I); NAIDOO S N (NAID-I); SECURITY BROADBAND CORP (SECU-N)

Inventor: FELDKAMP G; FELDKAMP G E; GLASGOW W; GLASGOW W P; NAIDOO S; NAIDOO S N

Patent Family (5 patents, 98 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 2003026305	A1	20030327	WO 2002US14450	A	20020507	200330	B
CA 2389958	A1	20030318	CA 2389958	A	20020610	200334	E
US 20030062997	A1	20030403	US 2001969521	A	20011002	200340	E
AU 2002309664	A1	20030401	AU 2002309664	A	20020507	200452	E
US 7015806	B2	20060321	US 1999357196	A	19990720	200621	E
			US 2001954976	A	20010918		
			US 2001969521	A	20011002		

Priority Applications (no., kind, date): US 1999357196 A 19990720; US 2001954976 A 20010918; US 2001969521 A 20011002

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
WO 2003026305	A1	EN	53	8	
National Designated States, Original	AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW				
Regional Designated	AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU				

States,Original	MC	MW	MZ	NL	OA	PT	SD	SE	SL	SZ	TR	TZ	UG	ZM	ZW
CA 2389958	A1		EN												
AU 2002309664	A1		EN					Based on OPI patent						WO 2003026305	
US 7015806	B2		EN					C-I-P of application						US 1999357196	
								C-I-P of application						US 2001954976	
								C-I-P of patent						US 6690411	

Video security system for monitoring premises remotely in which remote authorized users can access security features such as changing passwords, setting permissions, etc. without going through central server ...NOVELTY - The security system verifies remote users (155) and allows them to access their personal account settings to add new users, set... Original Publication Data by Authority...Original Abstracts:alarm condition in a security system. A security gateway detects alarm conditions at a premises and records video relating to the alarm condition. The security gateway transmits an alarm notification and the video across a network to a security system server in... ... a security system. A security gateway detects alarm conditions at a premises and records video relating to the alarm condition. The security gateway transmits an alarm notification and the video across a network to a security system server in substantially real time. The security... ... A system and method for remote monitoring of a premises. The security system (fig. 1) verifies remote users and allow authorized remote (131 of fig. 1) to access features of the security system located at the premises without the need for communication to pass through a central server (120 of... ...Claims:to detect an alarm condition and to record video of at least a portion of the premises relating to the alarm condition, said video hereinafter referred to the Alarm Video;a security system server operatively coupled to the security gateway, wherein the security gateway is configured to transfer to the security system server a notification of the alarm condition and the corresponding Alarm Video to the security system server in substantially real time;a plurality of monitoring clients operatively coupled to the security system server;wherein the security system server... ... wherein said designated monitoring clients are configured to notify the security system server whether the notification of the alarm condition corresponds to an actual alarm condition.... ... an alarm condition and to record video of at least a portion of the premises relating to the alarm condition, said video hereinafter referred to as the Alarm Video;a security system server operatively coupled to the security gateway, wherein the security gateway is configured to transfer to the security system server a notification of the alarm condition and the corresponding Alarm Video in substantially real time;a plurality of monitoring clients operatively coupled to the security system server;the security system server utilizing rules-based routing to select, based upon a predefined set of one or more rules, one or more of the plurality of monitoring clients, hereafter referred... ... clients are configured to notify the security system server whether the notification of the alarm condition corresponds to an actual alarm condition.

21/3.K/12 (Item 11 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0012705191 & & Drawing available

WPI Acc no: 2002-556522/200259

Related WPI Acc No: 2002-705104

XRPX Acc No: N2002-440458

Semiconductor process recipe editor for manufacturing disk drive, has R-DOM file which determines location in which modified values of parameters read from recipe data files in various formats is directly overwritten

Patent Assignee: BETAWAR M (BETA-I); BHAGWAT V (BHAG-I); FABCENTRIC INC (FABC-N); GORADIA D (GORA-I); MEHTA M (MEHT-I); PAREKH N (PARE-I)

Inventor: BETAWAR M; BHAGWAT V; GORADIA D; MEHTA M; PAREKH N

Patent Family (2 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20020055804	A1	20020509	US 1999350039	A	19990708	200259	B
			US 2002683569	A	20020118		
US 6665575	B2	20031216	US 1999350039	A	19990708	200382	E
			US 2002683569	A	20020118		

Priority Applications (no., kind, date): US 1999350039 A 19990708; US 2002683569 A 20020118

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
US 20020055804	A1	EN	19	9	Division of application	US 1999350039
US 6665575	B2	EN			Division of application	US 1999350039
					Division of patent	US 6415593

Original Publication Data by Authority...Original Abstracts:locate process parameters within proprietary recipe-file formats. The sequence of parameters in the R-DOM file matches the sequence in the recipe data file so that parameters may be mapped from recipe data files for display and editing. ASCII or binary recipe file formats are mapped from the recipe... parameters within proprietary recipe-file formats. The sequence of parameters in the R-DOM file matches the sequence in the recipe data file so that parameter may be mapped from recipe data files for display and editing. ASCII or binary recipe file formats are mapped from the recipe data file using R-DOM...Claims:generating a visual display of values of the process parameters to a user;a behavioral component coupled to the data-presentation component, including:file-validator means for validating access to a recipe data file by... model (R-DOM) file specific to the fab equipment controlled by the recipe data file;parameter-display means, coupled to receive a process parameter from the parameter-read means, for sending the process parameter to the display component for display to the user;parameter-security means, activated when the user requests to... the selected process parameter, for displaying a dialog box on with the display component, the dialog box allowing the user to select a new value for the selected process parameter;parameter-verify means... DOM) file specific to the piece of fabrication equipment controlled by the recipe data file;parameter-display means, coupled to the parameter-read means to receive a process parameter from the parameter-read means, for sending the... to modify a selected process parameter, for reading a security indicator for the selected process parameter from the R-DOM file, the security indicator indicating when user has a security level sufficient to

modify the selected process... .. display component, the dialog box allowing the user to select a new value for the selected process parameter;parameter-verify means, activated by the parameter-edit means when the user selects a new value, for validating that the new value is...

21/3,K/13 (Item 12 from file: 350) [Links](#)

Fulltext available through: [Order File History](#).

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0010942045 & & *Drawing available*

WPI Acc no: 2001-564599/200163

XRPX Acc No: N2001-420292

Information access limitation method in internet, involves filtering user-requested HTML file in accordance with user credentials associated with a security cookie value and HTML label structures

Patent Assignee: LOCKHEED MARTIN CORP (LOCK); LUCKENBAUGH G L (LUCK-D); STOAKES F E (STOA-I)

Inventor: LUCKENBAUGH G L; STOAKES F E

Patent Family (2 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20010013096	A1	20010809	US 199894612	A	19980615	200163	B
US 6311269	B2	20011030	US 199894612	A	19980615	200172	E

Priority Applications (no., kind, date): US 199894612 A 19980615

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes
US 20010013096	A1	EN	24	13	

Alerting Abstract ...user request along with security cookie value and filtered in response to the user credentials associated with the cookie value and label structures included in HTML file. ...system is installed only at the web server and enhances browser and server functions by allowing different security policies, imbedding of security labels and alteration of passwords and credentials... Original Publication Data by Authority...Claims:web cookie as a security cookie in said mapping,creating a set of said credentials by prompting a user for authentication information, validating said authentication information against user information retrieved from said CGI accessible registry storage in response... .. of a stored HTML file that was not accompanied by a web cookie name and value contained within said mapping,retrieving said stored HTML file in response to a request from a user accompanied by said security cookie value,filtering said stored HTML file in accordance with said user credentials associated with said security cookie value to form filtered information in accordance with said HTML label structures, andreturning... .. creating a set of said

credentials by prompting a user for authentication information, validating said authentication information against user information retrieved from said CGI accessible registry storage, performed in response to a request for retrieval of a stored... constructs embedded in the HTML file in accordance with a comparison to said user credentials associated with said security cookie value to form filtered information in the form of stand 21/3,K/14 (Item 13 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0009969332 & *Drawing available*

WPI Acc no: 2000-271703/200023

Related WPI Acc No: 2003-121294

XRPX Acc No: N2000-203443

Enhanced communication services providing method, involves providing services to user, after verifying that the user is authorized to receive service

Patent Assignee: ALLA R (ALLA-I); AYYALA S R M (AYYA-I); BONAJIRI S (BONA-I); JAMPANA V L J; SATHI R D V

			US 1998100470	P	19980915		
			US 1999395868	A	19990914		
			US 2001851382	A	20010509		
			US 2002114047	A	20020403		
			US 2003684396	A	20031015		

Priority Applications (no., kind, date): US 1998100470 P 19980915; US 1998100440 P 19980915; US 1999395868 A 19990914; US 2001851382 A 20010509; US 2001894890 A 20010629; US 200296912 A 20020314; US 2002114047 A 20020403; US 2003684396 A 20031015; AU 2004202305 A 20040526

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes		
WO 2000016568	A1	EN	80	28			
National Designated States, Original	AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZA ZW						
Regional Designated States, Original	AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SL SZ TZ UG ZW						
AU 199959192	A	EN			Based on OPI patent	WO 2000016568	
NO 200101295	A	NO			PCT Application	WO 1999US20910	
US 20010019604	A1	EN			Related to Provisional	US 1998100440	
					Related to Provisional	US 1998100470	
					Continuation of application	US 1999395868	
EP 1133878	A1	EN			PCT Application	WO 1999US20910	

					Based on OPI patent	WO 2000016568
Regional Designated States,Original	AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI					
US 6320947	B1	EN			Related to Provisional	US 1998100440
					Related to Provisional	US 1998100470
HU 200103516	A2	HU			PCT Application	WO 1999US20910
					Based on OPI patent	WO 2000016568
US 20020052754	A1	EN			Related to Provisional	US 1998100440
					Related to Provisional	US 1998100470
					C-I-P of application	US 1999395868
US 6381316	B2	EN			Related to Provisional	US 1998100440
					Related to Provisional	US 1998100470
					Continuation of application	US 1999395868
ZA 200102171	A	EN	98			
US 20020106065	A1	EN			Related to Provisional	US 1998100440
					Related to Provisional	US 1998100470
					Continuation of application	US 1999395868
IL 142004	A	EN			Based on OPI patent	WO 2000016568
					Continuation of application	US 2002114047
					Continuation of patent	US 6320947
					Continuation of patent	US 6381316
					Continuation of patent	US 6714632

Original Publication Data by Authority...Original Abstracts:services and a request for user account information, a storage device that stores an account value linked to the personal identification number, a ... services and a request for user account information, a storage device that stores an account value linked to the personal identification number, a verification module that authenticates the personal identification ... one settlement rule. If it is determined that the authorized user does not have sufficient funds in an authorized user account to debit for the transaction, the authorized user account may be recharged by...
...Claims:networks, comprising: sending a request message to the user at a receiver that the pre-authorized account needs additional funds;receiving a response message from the user using the receiver requesting additional funds be added... ... is associated with the pre-authorized account and identifying another account from which the additional funds are to be drawn; andafter authentication that the user is associated with the pre-authorized account, obtaining the additional funds in a real-time transaction debiting the other account and adding the additional funds to the pre-authorized account used in paying for at least one communication service or transaction, provided or consummated, respectively via at lea...

21/3,K/15 (Item 14 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0009561360 & & Drawing available

WPI Acc no: 1999-507662/199942

XRPX Acc No: N1999-378230

Cash value transferring system for operating money activated machine

Patent Assignee: BRIDGEPOINT SYSTEMS INC (BRID-N)

Inventor: CORDER T E; STURM G

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 5936221	A	19990810	US 1997942748	A	19971002	199942	B

Priority Applications (no., kind, date): US 1997942748 A 19971002

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes
US 5936221	A	EN	8	3	

Alerting Abstract ...added terminal (12) responds to authorization code input by the customer, by adding a cash value associated with input code onto a smart card (16) and deactivating the input code to prevent subsequent cash value transfer corresponding to the same code. DESCRIPTION - The central server has a storage device having a number of active authorization codes associated with cash values. The value added terminal includes on-board secure memory for storing the authorization code and... Original Publication Data by Authority...Original Abstracts:and to add cash value to the cards upon customer (18) input of an appropriate authorization code (22). The money-activated machine (14) is designed to read smart cards, and reprogram them by deducting a cash value amount corresponding to the customer's use of the machines. The central server apparatus (10) receives calls from customers requesting an authorization code for use with a value added terminal, and in response thereto, verifies funds in a pre-established customer account and provides an active authorization code. ...Claims:having a storage device with a plurality of active authorization codes each having a cash value associated therewith,a value added terminal remote to the central server apparatus and including on-board secure memory storing the authorization codes and associated cash values of the central server apparatus and an input device responsive to customer input of the authorization code associated with the customer.... to add cash value onto the smart card in an amount equal to the cash value associated with the inputted authorization code and deactivate the inputted authorization code so that subsequent input of the deactivated authorization code will not cause... requested cash value transfer, which authorization code the central server apparatus provides upon verifying the availability of funds in the customer's account, and the customer can then input the authorization code into the input device of the, value added terminal, whereafter the value added terminal adds the cash value associated with the inputted authorization card onto the smart card and dispenses the programmed smart card to the customer, whereafter the customer can use the smart...

21/3,K/16 (Item 15 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0008188468 & *Drawing available*

WPI Acc no: 1997-292019/199727

XRPX Acc No: N1997-241647

Communication system with embedded communication link security - has device that receives global signal, and determines that communication link is not secure, if first signal and global signal do not have set relationship

Patent Assignee: MOTOROLA INC (MOTI)

Inventor: BROWN D P; FINKELSTEIN L D; PENNYPACKER F C

Patent Family (16 patents, 10 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
GB 2308279	A	19970618	GB 199625359	A	19961205	199727	B
DE 19651518	A1	19970724	DE 19651518	A	19961211	199735	E
JP 9182167	A	19970711	JP 1996352218	A	19961212	199738	E
CA 2191668	A	19970614	CA 2191668	A	19961129	199741	E
MX 199606339	A1	19970601	MX 19966339	A	19961211	199825	E
BR 199605963	A	19980818	BR 19965963	A	19961211	199839	E
US 5793866	A	19980811	US 1995572211	A	19951213	199839	E
KR 1997056185	A	19970731	KR 199665053	A	19961213	199912	E
SG 67366	A1	19990921	SG 199611407	A	19961126	199945	E
CA 2191668	C	19991221	CA 2191668	A	19961129	200020	E
GB 2308279	B	20000412	GB 199625359	A	19961205	200021	E
US 6047066	A	20000404	US 1995572211	A	19951213	200024	E
			US 1998131302	A	19980810		
KR 231743	B1	19991115	KR 199665053	A	19961213	200111	E
MX 195663	B	20000324	MX 19966339	A	19961211	200123	E
CN 1155797	A	19970730	CN 1996121525	A	19961212	200375	E
CN 1146177	C	20040414	CN 1996121525	A	19961212	200610	E

Priority Applications (no., kind, date): US 1995572211 A 19951213; US 1998131302 A 19980810

Patent Details

Patent Number	Kind	Lan	Pgs	Draw	Filing Notes	
GB 2308279	A	EN	28	6		
DE 19651518	A1	DE	14	7		
JP 9182167	A	JA	11			
CA 2191668	A	EN				
BR 199605963	A	PT				
SG 67366	A1	EN				
CA 2191668	C	EN				

US 6047066	A	EN		Continuation of application	US 1995572211
				Continuation of patent	US 5793866

Original Publication Data by AuthorityOriginal Abstracts: A system (100) and method of improving activation security allows a remote device (104) to identify that there is a difference between a first signal transmitted by a central... .. used internally of the remote device, or the central site, for verification that is transparent to the user. A significant amount of security is added without substantially altering the communication protocol... .. A system (100) and method of improving activation security allows a remote device (104) to identify that there is a difference between a first signal transmitted by a central site... .. internally of the remote device, or the central site, for verification that is transparent to the user. A significant amount of security is added without substantially altering the communication protocol. ...Claims:unique signal do not have the set relationship. The derived signal is generated from a number of different protocol parameters.

21/3,K/17 (Item 16 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0007516841 & & *Drawing available*

WPI Acc no: 1996-129670/199613

Related WPI Acc No: 1997-435464

XRPX Acc No: N1996-108963

Telephone auto dialler smart card - has DTMF encoder and decoder to allow card to be coupled to telephone and re programmed in response to acoustic signals

Patent Assignee: MARK A R (MARK-I); SMART TONE AUTHENTICATION INC (SMAR-N)

Inventor: MARK A R

Patent Family (11 patents, 21 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 1996004741	A1	19960215	WO 1995US9964	A	19950807	199613	B
AU 199532397	A	19960304	AU 199532397	A	19950807	199623	E
US 5583933	A	19961210	US 1994286825	A	19940805	199704	E
EP 774189	A1	19970521	EP 1995928760	A	19950807	199725	E
			WO 1995US9964	A	19950807		
US 5732133	A	19980324	US 1994286825	A	19940805	199819	E
			US 1996660370	A	19960607		
US 5745555	A	19980428	US 1994286825	A	19940805	199824	E
			US 1996657594	A	19960607		
JP 10508161	W	19980804	WO 1995US9964	A	19950807	199841	E
			JP 1996506802	A	19950807		
US 5818930	A	19981006	US 1994286825	A	19940805	199847	E
			US 1996664322	A	19960607		

US 5825871	A	19981020	US 1994286825	A	19940805	199849	E
			US 1996639023	A	19960607		
CA 2196784	C	20000606	CA 2196784	A	19950807	200041	E
			WO 1995US9964	A	19950807		
CA 2309096	A1	19960215	CA 2196784	A	19950807	200048	E
			CA 2309096	A	19950807		

Priority Applications (no., kind, date): US 1994286825 A 19940805; US 1996639023 A 19960607; US 1996657594 A 19960607; US 1996660370 A 19960607; US 1996664322 A 19960607

Patent Details							
Patent Number	Kind	Jan	Pgs	Draw	Filing Notes		
WO 1996004741	A1	EN	185	14			
National Designated States,Original	AU CA JP						
Regional Designated States,Original	AT BE CH DE DK ES FR GB GR IE IT LU MC NL PT SE						
AU 199532397	A	EN			Based on OPI patent	WO 1996004741	
CA 2309096	A1	EN			Division of application	CA 2196784	

Alerting Abstract ...are generated has a memory. The memory stores information relating to alterable tone pair characteristic values and associates each of the alterable tone pair signal characteristic values with a data item. A circuit... ..a DTMF signal. The information relates to the alterable characteristic values includes tone pair duration values. The information relating to the alterable characteristic values includes aggregate tone pair signal power levels... Original Publication Data by Authority...Original Abstracts:a system clock used to drive a pseudo random number generator used in various data security schemes. Calibration features permit the calibration of the audio output and system clock with adjustments being made via the acoustic programming of the auto-dialer with various calibration... .. of a security device and unauthorized access to a resource. The method includes requesting an authorized user of a security device to select a set of N PINs and N distinct phrases, each one of the N distinct phrases being associated with a corresponding one of the N PINs for acting as a prompt... .. prompt is compared to the associated PIN to determine whether the current user of the security device is the authorized user. The current user is granted access to the resource or is granted use of the security device if it is determined that the current user of the security device is the authorized user. ... a system clock used to drive a pseudo random number generator used in various data security schemes. Calibration features permit the calibration of the audio output and system clock with adjustments being made via the acoustic programming of the auto-dialer with various calibration factors... ..Claims:are generated has a memory. The memory stores information relating to alterable tone pair characteristic values and associates each of the alterable tone pair signal characteristic values with a data item. A circuit... .. a DTMF signal. The information relates to the alterable characteristic values includes tone pair duration values. The information relating to the

alterable characteristic values includes aggregate tone pair signal power levels.... an interdigit period, the device including: memory storing encoding information relating to alterable tone characteristic values and storing corresponding data items; and an encoding generator electrically coupled to said memory, said encoding generator generating a set of tones encoded with said alterable tone.... security method for controlling unauthorized access to a resource, comprising the steps of: requesting an authorized user of a security device to select a set of N PINs and N distinct phrases, each one of the N distinct phrases including at least one word, each one of the N distinct phrases being associated with a corresponding one of the N PINs for identifying the corresponding one.... N distinct phrases; selecting, by the verification service, a first one of the N PINs; prompting, by the verification service, a current user of the security device for a first time using the one of the N distinct phrases associated with.... the N PINs as a first prompt; receiving at the verification service a first response to the first prompt from the current user; determining at the verification service, as a function of the first response, whether the current user of the security device is the authorized user, wherein the step of determining includes the step of comparing the first response to.... the N PINs to determine if there is a match; and granting, to the current user by the verification service, access to a resource if it is determined that the current user of the security device is the authorized user.... An auto-dialer housing, comprising: a generally saucer shaped head assembly adapted for

21/3,K/18 (Item 17 from file: 350) [Links](#)

Fulltext available through: [Order File History](#)

Derwent WPIX

(c) 2008 The Thomson Corporation. All rights reserved.

0007310890 & *Drawing available*

WPI Acc no: 1995-372755/199548

XRPX Acc No: N1995-274808

Firearm with security and safety mechanism - uses voice identification system to detect authorised user tone and to actuate solenoid which control movements of firearm grip safety between operable and inoperable positions

Patent Assignee: WINER G T (WINE-I)

Inventor: WINER G T

Patent Family (1 patents, 1 & countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 5459957	A	19951024	US 1994257605	A	19940609	199548	B

Priority Applications (no., kind, date): US 1994257605 A 19940609

Patent Details

Patent Number	Kind	Lang	Pgs	Draw	Filing Notes
US 5459957	A	EN	12	5	

Alerting Abstract ...whether the firing mechanism is operable or not. A disabling unit comprising a solenoid is connected to a blocking element movable by the solenoid to stop the grip safety from moving into the operable position... Original Publication Data by Authority...Original Abstracts:firearm. The firearm will remain in a disabled state unless a verification means determines that a firearm user is an authorized firearm user. The security and safety mechanism utilizes voice recognition technology in order to ascertain whether a firearm user is an authorized firearm... ...Claims:position thereby permitting said firing mechanism to operate; a disabling unit comprising solenoid means operably connected to a blocking element, said blocking element movable by said solenoid means between a blocking position whereby said blocking element blocks...

?